

Acquisition Field Parameters

02/01/2012 01:14 PM

1

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Abbeville 3D	50	LA-Vermilion	1996	32	18,853	I/O System 2	8	2	SEG-D	9	136	PENTOLITE	220	2,200	5.5	135			Brick (Double)	Geophone	220	1,760	8	1,280	110	110
Agua Dulce Ext	9	TX-Nueces	1996				5	2		6	120	VIBROSEIS	165	1,320			4	6		Geophone	165	1,320	12	1,056		
Agua Dulce North	25	TX-Nueces	1995	28	10,570	I/O System 1	5	2	SEG-D	6	120	VIBROSEIS	165	1,320			4	6	Brick (Double)	Geophone	165	1,320	8	896	83	83
Agua Dulce South	35	TX-Nueces	1993	28	10,570		5	2					165	1,320							165	1,320			83	83
Alamo 3D	103	TX-Aransas, TX-Calhoun,	2004	65	18,282	I/O System 2	8	2	SEG-Y		207	DYNAMITE	246	1,180	5.5	60			Diagonal	Geophone	220	1,320	10	1,560	110	110
Altair	5	TX-Colorado	1994	100	35,650	SGR	8	2	SEG-Y	8	200	DYNAMITE	440	1,760	5	80			Cross-Line	Geophone	220	880	10	1,590	110	220
Amelia 3D	31	TX-Jefferson	1999	54	24,551	I/O System 3	8	2			207	DYNAMITE	220	1,760	2.5	60	4	8	Diagonal	Geophone	311	1,089	12	1,728	110	110
Anschutz Ranch East #102 3D	41	UT-Summit, WY-Uinta	1981	12	5,220	SGR	5	2		8	200	DYNAMITE	400	800	50	50					660	165			83	400
Antioch #50 3D	2	OK-Garvin	1993		8,646	DFS V	4	2		12	128	VIBROSEIS	165	330			4	12	Cross-Line	Geophone	165	1,155	6	240	83	83
Anvil 3D	181	LA-South Marsh Island -	1994	35	10,200		10	4				AIRGUN	300						In-Line	Hydrophone	50			216	100	100
Appleton 3D	63	AL-Conecuh	1995	20		SGR	2	2				PENTOLITE	330	2,640	10	150			Brick (Double)	Geophone	330	1,980			165	165
Arsanas Pass	20	TX-Aransas	1997	38	13,606	I/O System 2	6	2	SEG-D		207	MINIHOLE	220	1,320	2 x 2.5	15	4	8	Cross-Line	Geophone	220	1,320	8	920	110	110
Arcola 3D	50	TX-Brazoria	2000	39	16,251	I/O System 3	8	2	SEG-D		207	VIBROSEIS	311	1,555	2.5	60	4	8	Diagonal	Geophone	220	1,320	12	1,560	110	110
Armbruster #52 3D	20	AR-Franklin, AR-Logan	1997	42	10,547	I/O System 2	5	2	SEG-D	9	135	DYNAMITE	331	933	10	40			Diagonal	Geophone	220	880	12	1,008	110	110
Armendiaz - Arroyo Colorado	24	TX-Willacy	2001	30	12,968	RAPS-2000	6	2	SEG-D		250	VIBROSEIS	165	1,155			4	6	Brick	Geophone	165	990	6	924	83	83
Armstrong Ranch	15	TX-Jim Hogg	1998	80	38,038	I/O System 3	6	2	SEG-D		207	VIBROSEIS	165	1,320			4	8	Brick (Double)	Geophone	165	1,320	13	2,620	83	83
Arrow	44	TX-Hidalgo	1996	30	13,702	Vision	7	2	SEG-D	8	206	VIBROSEIS	165	1,320			5	8	Brick (Triple)	Geophone	165	1,320	6	960	83	83
Azul 3D	121	LA-South Marsh Island -	1986	30	17,000		10	4				AIRGUN	200						In-Line	Hydrophone				240		
BMT A Extn 3D	4	TX-Webb	1992	24	10,015	MDS 16	6	2	SEG-D	8	93	VIBROSEIS	165	825			4	12	Cross-Line	Geophone	165	990	4	480	83	83
BMTA	14	TX-Webb	1990	24	10,015	MDS 16	6	2	SEG-D	8	93	VIBROSEIS	165	825			4	12	Cross-Line	Geophone	165	990	4	480	83	83
Barfield #86 3D	6	LA-Tensas	1994	48		SGR	6	2				DYNAMITE	220	1,760	10	100			Brick (Double)	Geophone	220	1,320		300	110	110
Bastian Bay 3D	28	LA-Plaquemines	1995	37	33,438	OPSEIS/Eagle	8	2	SEG-Y		206	DYNAMITE	440	1,320	10	105			Brick (Double)	Geophone	220	1,320	6	900	110	220
Baumgartner	6	TX-Victoria											369	590					Diagonal		165	850			83	83
Bay Junop 3D	49	LA-Terrebonne	1995	24	16,839	Digiseis	12	2	SEG-D	3	218	PENTOLITE	165	1,980	13.5	120			Brick (Double)	Hydrophone	165	1,980	6	1,152	83	83
Bay de Chene 3D	74	LA-Jefferson, LA-Lafourc	1997	42	19,332	OPSEIS/Eagle	10	2	SEG-Y	3	125	PENTOLITE	330	1,320	11	130			Brick (Double)	Hydrophone	165	1,980	6	1,344	83	165
Bayou Fer Blanc	19	LA-Lafourche		23	14,297	OPSEIS/Eagle	8	2	SEG-Y	3	206	DYNAMITE	220	1,760	11	150			Brick (Double)	Geophone	220	1,540	6	744	110	110
Bayou Sale Swamp 3D	331																									
Bayou Sale Swamp Phase I 3D	110	LA-St. Mary	2003	56	25,837	I/O System 3	10	2	SEG-Y		207	DYNAMITE	232	1,670	11	150/130			Diagonal	Hydrophone	220	1,760	8	1,792	110	110
Bayou Sale Swamp Phase II 3D	118	LA-St. Mary	2003	56	25,837	I/O System 3	10	2	SEG-Y	3	207	PENTOLITE	232	1,670	11	150			Diagonal	Geophone	220	1,760	8	1,792	110	110
Bayou Sale Swamp Phase III	104	LA-St. Mary	2003	56	25,837	I/O System 3	10	2	SEG-Y	3	207	PENTOLITE	232	1,670	11	150/130			Diagonal	Geophone	220	1,760	8	1,792	110	110
Bayou Sorrel 3D	51	LA-Iberville	1998	32	16,636	I/O System 3	8		Unknown			PENTOLITE	220	2,640	11	70			Brick (Double)	Geophone	220	1,320	12	1,608	110	110
Beaver Mountain Phase I	28	OK-Haskell	2006	44	11,625	I/O System 3	6	2	Unknown	3	207	DYNAMITE	396	732	5.5	60			Diagonal	Geophone	220	660	20	1,760	110	165
Beaver Mountain Phase II	49	OK-Haskell	2007	44	11,625	ARAM 24	4	2	SEG-Y	3	205	DYNAMITE	396	732	5.5	60			Diagonal	Geophone	220	660	20	1,760	110	165
Bell Lake #70 3D	24	NM-Lea	1995	20	12,360	I/O System 2	6	2	SEG-D		188	VIBROSEIS	220	2,640			4	12	Brick (Double)	Geophone	220	1,320	10	960	110	110
Belle Starr 3D	51	OK-Latimer, OK-Pittsburg	2000	25	11,669	I/O System 3	8	2	Unknown	3	207	DYNAMITE	200	2,000	5.5	80			Quintuple Brick	Geophone	200	1,000	10	1,120	100	100
Benavides	15	TX-Zapata	1999	40	38,000	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			4	8	Brick (Double)	Geophone	165	1,320	18	2,850	83	83
Bendito 3D	47			36	16,592							DYNAMITE	220	1,760					Brick (Double)	Geophone	220	1,320	8	1,152	110	110
Big Blue	9	TX-Zapata	1997	27	23,925	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			4	8	Brick (Double)	Geophone	165	1,320	6	864	83	83
Big Creek Wideline #73 3D	12	TX-Fort Bend	1988	60	10,725	MDS 16	10	2	SEG-Y			DYNAMITE	220		10	150			In-Line		710					
Big Ditch/Watson Hollow 3D	20	CA-Solano	1995	36	27,838	I/O System 2	4	2	SEG-D		207	EXPLOSIVE	165	1,980	2.5	15			Brick	Geophone	165	1,320	6	1,008	83	83
Big Eagle 3D	133	OS-Mississippi Canyon	1992	34	20,000		10	4				AIRGUN	300												100	100
Big Thicket - All 3 Phases 3D	0	TX-Hardin, TX-Jasper	1999	30			8	2	SEG-Y			PENTOLITE			5.5	100			In-Line						100	100
Big Thicket Phase I 3D	100	TX-Hardin, TX-Jasper, TX	1998	29	22,972	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	211	2,286	6-8	100			Diagonal	Geophone	200	2,200	6	1,296	100	100

Acquisition Field Parameters

02/01/2012 01:14 PM

2

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Big Thicket Phase II 3D	100	TX-Hardin, TX-Jasper, TX	1999	29	22,972	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	211	2,286	6	100			Diagonal	Geophone	200	2,200	6	1,296	100	100
Big Thicket Phase III 3D	100	TX-Hardin, TX-Jasper, TX	1999	29	22,972	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	211	2,286	6	100			Diagonal	Geophone	200	2,200	6	1,296	100	100
Birch Creek 3D	30	UT-Rich	1983			Sercel 348	5	4	SEG-B		63	VIBROSEIS	150	1,200			4	8		Geophone	150		7	480		
Blackburn #165 3D	3	NV-Eureka	1985	66		Geocor	6	4	Geocor I\			VIBROSEIS	320	880			4	8	Brick (Single)	Geophone	80	440	8	1,024	40	160
Blackwater 3D	10	AL-Covington	1994	20	30,158	SGR	8	2	SEG-Y	8	200	DYNAMITE	440	3,520	1/15	10/150			Brick (Double)	Geophone	440	1,320	10	640	220	220
Blanco Creek	20	TX-Refugio	1997	30	12,224	I/O System 2	6	2	SEG-D	3	207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	1,080	110	110
Block 16 3D	27	TX-Hardeman	1995	27	10,246	I/O System 2	4	2	SEG-D	9	135	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	9	864	83	83
Blue Lake	118	TX-Brazoria	2001	48	18,078	I/O System 3	8	2	SEG-D	3	207	VIBROSEIS	311	1,245	2.5	60	4	8	Diagonal	Geophone	220	1,320	10	1,540	110	110
Blue Mountain 3D	80	OK-Latimer, OK-Pittsburg	1990	12	8,369	Wave III	6	2	SEG-D		125	DYNAMITE	210	2,520	30	80			Cross-Line	Geophone	210	840	8	512	105	105
Blue Steel 3D	16	AL-Covington		12	10,912	I/O System 3	6	2	SEG-D	3	188	DYNAMITE	330	3,520	10	110			Brick (Double)	Geophone	220	1,320	10	800	110	165
Bluntzer	8	TX-Nueces	1997	22	9,295	I/O System 2	6	2	SEG-D		207	DYNAMITE	220	1,980					Brick (Triple)	Geophone	220	660	10	680	110	110
Bob West	22	TX-Starr, TX-Zapata	1997	30	26,532	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	960	83	83
Bob West Infill	6	TX-Zapata	1997	32	21,000	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	8	968	83	83
Bob West North	18	TX-Zapata	1997	30	26,532	I/O System 2	6	2	SEG-D		207	AIRGUN	165	165			5	8	In-Line	Geophone	165	1,320	6	960	83	83
Bobcat 3D	16	TX-Hemphill	1998	40	12,360	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	10	960	110	110
Bodcaw 3D Phase I	156	LA-Bienville, LA-Jackson	2009	60	21,834	I/O System 3	10	2	SEG-Y		207	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	10	1,920	110	110
Bodcaw 3D Phase II	90	LA-Bienville, LA-Jackson	2008	84	22,694	I/O System 3	10	2	SEG-Y		207	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	14	2,688	110	110
Bodcaw 3D Phase III	225	LA-Bienville, LA-Jackson	2009	60	21,834	I/O System 3	10	2	SEG-Y		207	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	10	1,920	110	110
Bodcaw 3D Phase IV	137	LA-Bienville	2009	60	21,834	I/O System 3	10	2	SEG-Y		207	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	10	1,920	110	110
Boilermaker 3D	96	OK-Blaine	1997	40	12,301	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	10	960	110	110
Boomvang 3D	178	OS-East Breaks	1991	36	20,400	Syntrak	10	4				AIRGUN	300	150					In-Line	Hydrophone	300		3	1,248	50	150
Boonsville 3D	26	TX-Wise	1994	20	8,367	I/O System 2	4	1	SEG-D		250	DYNAMITE	220	1,320	0.625	10			Cross-Line	Geophone	220	880	8	480	110	110
Bosque	27	TX-Bosque	2006	49	10,356	ARAM 24	4	2	SEG-Y	3	123	VIBROSEIS	311	778			3	8	Diagonal	Geophone	220	880	12	984	110	110
Bourbon 3D	27	LA-West Delta - South (F)	1987	20	17,000		7	6				AIRGUN	150						In-Line	Hydrophone						
Boxer 3D	85	LA-Ship Shoal - South (F)	1985	30	11,808		8	3				AIRGUN	196						In-Line	Hydrophone	50					
Bradford #15 3D	32	TX-Midland	1994	28	13,303	MDS 18	4	2	SEG-D	0	125	VIBROSEIS	220	1,760			4	6	Cross-Line	Geophone	220	1,320	8	896	110	110
Brazos Galveston Phase V	653	TX-Brazos (State Waters	1997	60	7,018	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800					Cross-Line	Dual	50	640	2	514	25	40
Brazos Matagorda Phase I	586	TX-Brazos (State Waters	1995	60	6,633	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800					Cross-Line	Dual	50	640	2	480	25	40
Brazos South Phase I 3D	459	TX-Brazos - South (Fed.	1994	48	6,000	Syntrak	11	2	SEG-D	3	218	AIRGUN	31	80					In-Line	Hydrophone	25	160	3	720	13	40
Brazos South Phase II 3D	171	TX-Brazos - South (Fed.	1995	48	6,000	Syntrak	10	2	SEG-D	218	8	AIRGUN	63	80					In-Line	Hydrophone	25	160	3	720	13	40
Breed Creek #18 3D	5	MT-Garfield, MT-Rosebud	1994	32	14,234	DFS V	3	2	SEG-B	12	128	DYNAMITE	165	1,320	10	160			Brick (Double)	Geophone	165	1,155	8	576	83	83
Breton Sound 3D	336	LA-Breton South (State/F	1996	90	22,529	Digiseis	8	4	SEG-D	3	109	AIRGUN	165	165	6	50			In-Line	Hydrophone	495	1,980	4	360	83	83
Breton Sound East 3D	79	LA-Main Pass - South and	1996	100	34,203	I/O System 3	8	2	SEG-D		200	DYNAMITE	83	330	5.5	50			In-Line	Geophone	165	1,980	2	416	41	165
Brier-White 3D	11	OK-Pittsburg	2002	24	26,224	I/O System 2	5	2	SEG-D		207	PENTOLITE	220	2,640	5.5	60			Brick	Geophone	220	1,320	12	1,152	110	110
Brownsville Dome	15	MS-Hinds	1995	0																						
Brownsville Navigation District	90	TX-Cameron	2006	80	22,022	I/O System 2	10	2	SEG-Y		207	DYNAMITE	246	1,180	5	80	4	8	Diagonal	Geophone	220	1,320	10	1,920	110	110
Brushy Creek		TX-Jackson, TX-Wharton	1999	34	15,290	I/O System 2	7	2	SEG-D		207	DYNAMITE	440	1,760	5.5	100			Brick (Triple)	Geophone	220	1,320	8	1,088	110	110
Bryan 3D	69	OK-Bryan	2002	84	17,711	I/O System 2	5	2	SEG-Y		135	VIBROSEIS	233	933	5.5	80	3	8	Diagonal	Geophone	165	990	14	2,688	83	83
Buffalo Camp 3D		TX-Brazoria	2003	37	14,659	I/O System 2	7	2	SEG-D		207	DYNAMITE	220	1,760	10	60	4	10	Brick (Double)	Geophone	220	1,320	10	1,200	110	110
Buffalo Mountain 3D	59	OK-Pittsburg	1998	40	19,585	I/O System 2	6	2	SEG-D		207	DYNAMITE	311	1,711	15	60			Diagonal	Geophone	110	1,100	6	2,112	55	110
Bull Cove 3D	58	LA-Calcasieu, TX-Newton		33	15,450	I/O System 2			Unknown			PENTOLITE	220	1,980					Brick (Triple)	Geophone	220	1,320	10	1,200	110	110
Bull Creek #69 3D	81	ND-Stark	1996	20	12,360	I/O System 2	5	2	SEG-D	9	125	DYNAMITE	220	2,640	5-15	60-120			Brick (Double)	Geophone	220	1,320	10	960	110	110
Bull Creek #69 3D Extension #3	12	ND-Stark	1996	20	12,360	I/O System 2	5	2	SEG-D	9	125	DYNAMITE	220	2,640	5	80			Brick (Double)	Geophone	220	1,320	10	960	110	110

Acquisition Field Parameters

02/01/2012 01:14 PM

3

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters									
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size		
Bullwinkle 3D	55	OS-Green Canyon	1988	20	13,000		8	3				AIRGUN	300	100					In-Line	Hydrophone	50					240		
Bully Camp 3D	125	LA-Lafourche	2007	84	26,371	I/O System 3	10	2	SEG-Y		207	DYNAMITE	226	1,670	11	150	4	8	Diagonal	Geophone	220	1,760	12	2,688	110	110		
Bundick Lake		LA-Allen, LA-Beauregard																										
Butte Sink #58 3D	21	CA-Colusa	1996	30	16,595	I/O System 2	4	2	Unknown	3	125	MINIHOLE	165	660	2	15			Brick (Double)	Geophone	165	990	10	960	83	83		
CUTB 102	38																											
CUTB 102x	38	UT-Juab, UT-Millard, UT-																										
Cadre-Claymore	72	TX-Hidalgo	1993	20	18,283	Sercel 348	6	4	SEG-B			VIBROSEIS	150	1,800			7	3	Cross-Line	Geophone	150	1,800	4	960	75	75		
Calais	16	TX-Jackson	1995	54	16,114	ARAM 24	6	2	SEG-Y	4	164	DYNAMITE	440	440	2.5	18			Brick (Double)	Geophone	220	1,320	6	432	110	220		
Cameron Prairie Phase I 3D	44	LA-Cameron	1998	24	18,220	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	233	1,517	5.5	40			Diagonal	Geophone	165	2,145	6	1,248	83	83		
Cameron Prairie Phase II	85	LA-Cameron	1996	35	21,780	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	200	1,800	11				Brick (Triple)	Geophone	200	1,600	6	1,272	100	100		
Cameron Prairie Phase III 3D	87	LA-Cameron	1997	24	18,220	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	233	1,517	5.5	40			Diagonal	Geophone	165	2,145	6	1,248	83	83		
Cameron Prairie Phase IV 3D	92	LA-Cameron	1997	24	18,220	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	233	1,517	5.5	40			Diagonal	Geophone	165	2,145	6	1,248	83	83		
Cameron Prairie Phase V 3D	105	LA-Cameron, LA-Vermilion	1997	24	18,220	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	233	1,517	5.5	40			Diagonal	Geophone	165	2,145	6	1,248	83	83		
Cameron Prairie Phase VII	62	LA-Cameron	1996	16	16,712	Citation	8	2	SEG-Y	0	128	DYNAMITE	165	3,300	2.5	20			Cross-Line	Geophone	165	2,640	8	1,264	83	83		
Canard 3D	246	LA-West Cameron - West (1990	30	19,975		10	4				AIRGUN	300						In-Line	Hydrophone	50				360	50	200	
Caney Creek 3D	33	TX-Matagorda, TX-Wharton	1997	32	14,934	I/O System 3	8	2	SEG-D		207	DYNAMITE	220	1,760	5.5	80			Brick (Double)	Geophone	220	1,320	8	1,024	110	110		
Cardinal 3D	79	TX-Lipscomb, TX-Ochiltre	1998	40	12,360	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	311	1,866			5	8	Zig-Zag	Geophone	220	1,320	10	960	110	110		
Carnes 3D	15	OK-Jackson, TX-Hardeman	1995	30	10,246	I/O System 2	3	2	SEG-D	11	135	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	10	960	83	83		
Carter East/Brahaney West 3D	13	TX-Yoakum	1994	16	15,351	MDS 18	3	2	SEG-D	0	125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	9	468	110	110		
Catapult Phase I 3D	186	LA-Acadia, LA-Cameron, L	2003	56	20,084	I/O System 3	10	2	SEG-Y	3	207	PENTOLITE	220	1,760	5.5	100			Quintuple Brick	Geophone	220	1,760	8	1,792	110	110		
Catapult Phase II 3D	161	LA-Acadia, LA-Cameron, L	2004	44	20,084	I/O System 3	10	2	SEG-Y	3	188	PENTOLITE	220	1,760	5	100			Brick	Geophone	220	1,760	8	1,376	110	110		
Catapult Phase III 3D	220	LA-Acadia, LA-Cameron, L	2004	44	20,084	I/O System 3	10	2	SEG-Y	3	188	PENTOLITE	220	1,760	5	100			Quintuple Brick	Geophone	220	1,760	8	1,376	110	110		
Catapult Phase IV 3D	99	LA-Acadia, LA-Cameron, L	2004	44	20,084	I/O System 3	10	2	SEG-Y	3	188	PENTOLITE	220	1,760	5	100			Quintuple Brick	Geophone	220	1,760	8	1,376	110	110		
Catapult Phase V 3D		LA-Acadia, LA-Cameron, L																										
Cato Ext. 3D	5	TX-Hardeman	1996	30	10,510	MDS 10	3	2	SEG-B	15	125	DYNAMITE	165	1,320	10	80			Cross-Line	Geophone	165	1,320	6	360	83	83		
Cato-Pease River East 3D	40	TX-Foard, TX-Hardeman	1997	28	9,873	Vision	3	2	SEG-D	9	206	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	10	900	83	83		
Cave Creek #103 3D	8	UT-Summit	1982	12	7,115	SGR	6	2		18	200	DYNAMITE	250		80	120			In-Line		220				384	75	125	
Cedar Valley #76 3D	20	OK-Blaine	1998	30	12,360	I/O System 2	4	2	SEG-D		125	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,320	10	960	110	110		
Chacahoula 3D	112	LA-Assumption, LA-Lafour	1997	25	19,312	I/O System 3	8	2	SEG-D		207	DYNAMITE	220	2,640	5.5/11	150			Cross-Line	Geophone	220	2,640	8	1,184	110	110		
Challacombe	47	TX-Houston, TX-Leon	2007	96	16,250	I/O System 3	7	2	SEG-Y		207	VIBROSEIS	311	933	5/11	90	3	10	Diagonal	Geophone	220	880	18	2,340	110	110		
Chandeleur Sound - Infill																												
Chandeleur Sound Phase A -	227	LA-Main Pass - South and		60	19,692	Teleseis	8	3	SEG-D	8	137	AIRGUN	110	330					In-Line	Hydrophone	330	1,650	2	240	55	165		
Chandeleur Sound Phase B 3D	802	LA-Main Pass - South and	1999	60	19,692	Teleseis	8	3	SEG-D	8	137	AIRGUN	110	330					In-Line	Hydrophone	330	1,650	2	240	55	165		
Chapa Ranch	80	TX-Live Oak, TX-McMullen	1995	24	14,177	I/O System 2	6	2	SEG-D	6	135	VIBROSEIS	165	1,650			5	8	Cross-Line	Geophone	165	1,320	6	996	83	83		
Chaparrosa	142	TX-Zavala	2000	45	12,500	I/O System 2	4	2	SEG-D		135	VIBROSEIS	150	1,200			3	6	Brick (Double)	Geophone	150	600	9	1,440	75	75		
Charco	52	TX-Zapata	1997	31	14,176	I/O System 2	6	2	SEG-D		135	VIBROSEIS	165	1,320			4	10	Brick (Double)	Geophone	165	1,320	6	996	83	83		
Charco South	31	TX-Zapata	1997	31	14,176	I/O System 2	6	2	SEG-D		135	VIBROSEIS	165	1,320			4	10	Brick (Double)	Geophone	165	1,320	6	996	83	83		
Charles 3D	12	WY-Niobrara	1994	28	6,718	I/O System 1	3	2	Unknown	11	180	VIBROSEIS	220	1,320			4	8	Brick (Single)	Geophone	220	660	14	672	110	110		
Cheek 3D	47	TX-Jefferson	1999	50	36,069	I/O System 3	8	2	SEG-D		207	DYNAMITE	311	1,245	2.5	60			Diagonal	Geophone	220	1,760	10	2,085	110	110		
Cheyenne #61 3D	19	TX-Winkler	1994	32		I/O System 2	4	2	SEG-D		135	VIBROSEIS	220	1,320			4	10		Geophone	220	1,320	8	768	110	110		
Cheyenne South #04 3D	20	OK-Roger Mills	1994	24	11,708	I/O System 2	6	2	SEG-D	9	135	VIBROSEIS	220	1,760			5	12	Brick	Geophone	220	1,320	8	768	110	110		
Chicago Mills #84 3D	28	LA-Franklin, LA-Tensas	1996	32	15,347	I/O System 2	8	2	SEG-Y		207	PENTOLITE	220	1,760	5.5	100			Brick (Double)	Geophone	220	1,320	8	1,056	110	110		
Christmas Creek 3D	8	UT-Rich, UT-Summit	1984	18		Sercel 348	6	4	SEG-B		63	DYNAMITE	220	1,320	30	25			Cross-Line	Geophone	165	660	6		83	110		

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Cities of Hidalgo																										
City of McAllen	62	TX-Hidalgo	1993	40	14,115	I/O System 1	7	2	SEG-D	3	120	VIBROSEIS	220	1,320			4	12	Cross-Line	Geophone	220	1,320	5	600	110	110
Clarkson Ranch	9	TX-Goliad, TX-Refugio	1996	36	16,000	I/O System 2	6	2	SEG-D		207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	720	110	110
Cold Springs #30 3D	9	NV-Nye	1994	19	17,475	Geocor	4	2	Unknown			VIBROSEIS	160	1,760			4	8	Brick (Double)	Geophone	160	1,440	8	832	80	80
Cologne		TX-Goliad, TX-Victoria											440	1,320					Brick (Triple)		220	880				
Colorado-Lavaca Merge	183	TX-Colorado, TX-Lavaca	2006																							
Corrigan #10 3D	7	TX-Terry	1998	20	21,093	MDS 18	4	2	SEG-D	8	125	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,320	9	756	110	110
Cote Blanche Island 3D	78	LA-Iberia, LA-St. Mary	2006	50	20,514	OPSEIS/Eagle	10	2	SEG-D	3	206	PENTOLITE	233	1,400	5.5	67			Diagonal	Geophone	165	990	10	2,400	83	83
Cottonwood 3D	105	ND-Burke, ND-Mountrail	2008	90	15,477	Sercel 408	6	2	SEG-D		200	VIBROSEIS	234	817			4	4	Diagonal	3C	165	1,155	18	2,520	83	83
Cottonwood Creek 3D	5	TX-Hardeman																								
Coulee de Saule	47	LA-Acadia	2002	55	20,350	I/O System 3	8	2	SEG-D	3	207	DYNAMITE	311	1,245	5.5	80			Diagonal	Geophone	220	1,320	10	1,760	110	110
Cowboy	28	WY-Laramie	2007	36	11,708	I/O System 4	3	2	SEG-Y		207	VIBROSEIS	311	1,245			3	8	Diagonal	Geophone	220	880	12	1,152	110	110
Coyote Creek #104 3D	45	WY-Uinta	1981	24	5,640	DFS V	5	2	SEG-B	45	128	DYNAMITE	440		75	50			In-Line		440				83	200
Criner 3D	82	OK-Love, TX-Cooke, TX-Gr	2003	55	19,350	I/O System 3	7	2	Unknown	3	207	PENTOLITE	233	1,400	5.5	60			Diagonal	Geophone	165	1,155	12	2,640	83	83
Crosby	55	TX-Harris	2003	88	20,816	I/O System 3	8	2	SEG-D	3	207	VIBROSEIS	246	1,760	5.5	60	4	8	Diagonal	Geophone	220	1,320	12	2,112	110	110
Cubra Libra	44	TX-Webb	1996	19	13,072	I/O System 1	6	2	SEG-D	6	120	VIBROSEIS	165	1,980			4	8	Cross-Line	Geophone	165	1,320	6	912	83	83
Cypress Creek 3D	152	LA-Beauregard	2011	90	38,613	I/O System 3	10	2	SEG-Y	3	207	DYNAMITE	246	1,574	5.5	80			Diagonal	Geophone	220	1,320	18	3,024	110	110
D-2	11	TX-De Witt	1995	24			6	2				DYNAMITE	220	2,640					Brick (Double)		220	880		640	110	220
Dagger Lake #67 3D	9	NM-Lea	1993	20	15,933	GUS-1000	4	2	Unknown		160	VIBROSEIS	220	1,320			4	6	Cross-Line	Geophone	220	1,320	8	480	110	110
Dana Point #12 3D	21	CO-Adams	1995	20	10,168	Sercel 368-E	4	2	SEG-D	12	178	VIBROSEIS	220	1,320			4	8	Brick	Geophone	220	880	8	640	110	110
DeRidder 3D	202	LA-Beauregard		108	24,136	I/O System 3	10	2	SEG-D		207	DYNAMITE	246	1,574	5.5	80			Diagonal	Geophone	220	1,320	18	3,456	110	110
Deep Rock #03 3D	11	OK-Roger Mills	1994	24	9,427	I/O System 2	5	2	SEG-D	9	136	VIBROSEIS	220	1,320				12	Brick (Triple)	Geophone	220	1,320	8	576	110	110
Denman Ranch	22	TX-Duval	2003	58	16,249	I/O System 2	6	2	SEG-D	3	207	VIBROSEIS	246	1,180			4	8	Diagonal	Geophone	220	1,100	10	1,400	110	110
Deweyville 3D	19	TX-Orange	1996	26	21,554	I/O System 3	8	2	SEG-Y			DYNAMITE	165	1,650	5	100			Brick (Triple)	Geophone	165	825	8	1,040	83	83
Deweyville-Newton 3D	9	LA-Calcasieu, TX-Newton	1996	30	22,063	OPSEIS/Eagle	8	2	SEG-Y	8	128	DYNAMITE	220	1,980	5	100			Brick (Triple)	Geophone	220	880	8	800	110	110
Diamond M #62 3D	13	TX-Scurry	1993	18	8,757	MDS 18	3	2	SEG-D	7	125	VIBROSEIS	220	1,320			4	8	Brick (Double)	Geophone	220	1,320	6	432	110	110
Diamond Tail #66 3D	14	NM-Lea	1994	24	9,427	I/O System 2	4	2	SEG-D		125	VIBROSEIS	220	1,320			5	6	Cross-Line	Geophone	220	1,320	8	580	110	110
Dodson/Cypress 3D	118	LA-Winn		25	14,795	OPSEIS/Eagle	6	2	SEG-Y	3	206	DYNAMITE	330	1,650	11	100			Brick (Double)	Geophone	165	1,650	6	1,020	83	165
Donna	44	TX-Hidalgo	1994	40	14,524	I/O System 2	6	2	SEG-D	6	135	VIBROSEIS	220	1,320			4	10	Cross-Line	Geophone	220	1,320	8	992	110	110
Dorrit 3D	332	OS-East Breaks, OS-Garde	1989	27	18,000		7	4				AIRGUN	225	200					In-Line	Hydrophone				240		
Dorward 3D	48	TX-Garza, TX-Scurry	1995	31	12,733	I/O System 2	3	2	SEG-D	9	135	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,320	10	1,000	110	110
Dorward Ext. 3D	14	TX-Garza, TX-Scurry	1996																							
Double Bayou 3D	35	TX-Chambers	2000	45	18,024	I/O System 3	8	2			207	DYNAMITE	311	1,245	2.5	60			Diagonal	Geophone	220	1,760	10	1,440	110	110
Driscoll Ranch	86	TX-Duval, TX-Jim Wells	1998	36	16,220	I/O System 2	6	2				VIBROSEIS	311	934			3	8	Diagonal	Geophone	220	1,320	6	864	110	110
Dry Hollow	15	TX-De Witt, TX-Lavaca, T	1995	40	22,063	GUS-1000	6	2	Unknown	8	160	DYNAMITE	220	2,200	5.5	85			Cross-Line	Geophone	220	880	8	800	110	110
Duck I	154	TX-Leon, TX-Robertson	1996	24	17,169	Sercel 388	8	2	SEG-D		200	PENTOLITE	220	2,640	11	110			Brick (Double)	Geophone	220	1,760	8	1,152	110	110
Duck II		TX-Leon	1996																							
Duck Island #160 3D	60	AK-Beechey Point	1984	60									220								220					
Duck Island #160 3D	60	AK-Beechey Point	1983	60		DFS V	5	4	SEG-B	8	90	VIBROSEIS	220				4	11		Geophone	220		4	240		
Duck Soup 3D	17	CA-Solano, CA-Yolo		52	24,237	I/O System 2	5	2	SEG-D		136	EXPLOSIVE	220	1,760	2.5	15			Brick	Geophone	220	880	8	880	110	110
Dutch Henry Butte #57 3D	9	ND-Stark	1994	18	21,503		2	2	SEG-D	12	160	VIBROSEIS	220	1,760			4	10	Brick (Triple)	Geophone	220	880	6	588	110	110
Dye	14	TX-Webb	1998										165	1,320					Cross-Line		165	1,320				
E. Whitney Canyon #115 3D	27	WY-Uinta	1981	8	5,408	Sercel 348	5	2	SEG-B	20	125	DYNAMITE	660	440	100	160				Geophone	165	440	8	240	83	220

Acquisition Field Parameters

02/01/2012 01:14 PM

5

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters									
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size		
El-100 3D	59	LA-Eugene Island (State/	1988	60	13,200		6	4				AIRGUN	110						In-Line	Hydrophone				120	55	165		
El-276 3D	70	LA-Eugene Island (State/	1988	20	17,000		7	3				AIRGUN	300	200					In-Line	Hydrophone				240				
Eagle Lake 3D		TX-Colorado, TX-Wharton	1998																									
East Amacker-Tippett #71 3D	34	TX-Upton	1996	36	11,708	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,320			4	8	Brick (Double)	Geophone	220	1,320	9	864	110	110		
East Atchafalaya 3D	115	LA-Iberia, LA-St. Martin	1996	24	19,728	SGR	8	2	SEG-Y			DYNAMITE	300	3,000	5.5	90			Brick	Geophone	300	2,100	8	960	150	150		
East Buck Point 3D	15	LA-Vermilion	1994	35	10,832	OPSEIS	8	2	SEG-Y			DYNAMITE	220	1,320	5	40			Brick (Double)	Geophone	220	2,640	8	656	110	110		
East Cordele	42	TX-Jackson	2005	48	17,611	I/O System 2	7	2	SEG-D		207	DYNAMITE	311	1,400	5	60			Diagonal	Geophone	220	1,320	12	1,440	110	110		
East Donkey Creek #56 3D	5	WY-Crook	1997		16,324	DFS V	4	2				DYNAMITE	220	2,200	25				Brick (Double)	Geophone	220	1,100	10	600	110	110		
East Hackberry 3D	42	LA-Calcasieu, LA-Cameron	2005	66	17,560	I/O System 3	10	2	SEG-Y			DYNAMITE	220	1,760	5.5	100			Brick	Geophone	110	880	14	2,954	110	55		
East Kinta 3D	16	OK-Haskell, OK-Le Flore	2001	70	12,016	I/O System 3	6	2	SEG-Y	3	207	DYNAMITE	467	700	8	50	3	8	Diagonal	Geophone	165	990	14	1,680	83	165		
East Lake Sands 3D	55	LA-Iberia, LA-St. Mary	1995	120	52,646	Sercel 368-E	8	2	SEG-D	8	178	AIRGUN	110	220					In-Line	Hydrophone	220	2,640	2	480	110	110		
East Painter #105 3D	18	WY-Uinta	1980	12	6,175	DFS V	5	2		8	128	DYNAMITE	200	800	75	120				Geophone	200	800			100	200		
East Perkins	13	LA-Calcasieu	1993	21	18,673	SGR	6	2	SEG-Y	8	200	PENTOLITE	440	1,760	5.5	100			Brick (Double)	Geophone	220	880	4	680	110	220		
East White Point #35 3D	19	TX-Nueces, TX-San Patric	1993	12	13,134	Applied 5586	5	2	SEG-Y	8	124	DYNAMITE	660	2,640	11	100			Cross-Line	Geophone	220	2,640	5	360	110	330		
East and West Cameron Phase	171	LA-West Cameron (State/F	1993	20	9,455	Syntrak	8	2	SEG-Y	8	218	AIRGUN	50	600					Cross-Line	Hydrophone	25	1,200	2	480	13	25		
East and West Cameron Phase	263	LA-West Cameron (State/F	1993	20	9,455	Syntrak	8	2	SEG-Y	8	218	AIRGUN	50	600					Cross-Line	Hydrophone	25	1,200	2	480	13	25		
East and West Cameron Phase	162	LA-West Cameron (State/F	1993	20	9,455	Syntrak	8	2	SEG-Y	8	218	AIRGUN	50	600					Cross-Line	Hydrophone	25	1,200	2	480	13	25		
Eastern Matagorda Bay 3D	15	TX-Matagorda	1997	30	18,879	Digiseis	8	2	SEG-D	3	125	DYNAMITE	200	1,800	5	52			Brick (Triple)	Hydrophone	200	2,000	6	1,080	100	100		
Edgerly 3D	34	LA-Calcasieu	1998	37	13,465	I/O System 3	8	2			207	DYNAMITE	264	1,464	5.5	100			Diagonal	Geophone	220	1,320	12	1,200	110	110		
Edna 3D		TX-Jackson	1993	24	11,175	I/O System 1	6	2	SEG-D	3	90	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	220	1,320	6	576	110	110		
El Sauz	160	TX-Willacy	1998	31	14,729	I/O System 2	6	2	SEG-D		136	VIBROSEIS	220	1,760	1.25	20	4	8	Brick (Triple)	Geophone	220	1,320	8	1,008	110	110		
Elbert #02 3D	17	ND-Stark	1995	24	10,524	I/O System 2	4	2	SEG-D		135	DYNAMITE	220	1,760	10	100			Brick (Double)	Geophone	220	880	12	768	110	110		
Eleuthra 3D	76	OS-Garden Banks	1990	30	18,000		10	4		8	90	AIRGUN	300	150					In-Line	Hydrophone	50			360	50	50		
Elm Bayou 3D	86	TX-Chambers, TX-Jefferso	2000	48	19,200	I/O System 3	8	2	SEG-D		207	DYNAMITE	311	1,555	2.5	60	4	8	Diagonal	Geophone	220	1,320	12	1,920	110	110		
Emigrant #13 3D	32	WY-Uinta	1994	20	13,676	Sercel 368-E	4	2	SEG-D	8	88	VIBROSEIS	440	1,980			4	10	Brick (Triple)	Geophone	220	1,320	6	720	110	220		
Emigrant #36 3D	26	WY-Fremont	1998	44	13,277	I/O System 2	5	2	SEG-D		207	DYNAMITE	200	1,400	12	60			Brick (Double)	Geophone	200	1,000	10	1,240	100	100		
Enchilada 3D	350	LA-South Marsh Island -	1995	39	19,024		8	4				AIRGUN	197															
Encino	65	TX-Brooks	2005	82	17,418	Sercel 408	7	2	SEG-Y			VIBROSEIS	233	933			4	8	Diagonal	Geophone	165	1,155	14	2,632	83	83		
Enron A 3D	86	TX-Zapata	1996	30	14,177	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	996	83	83		
Enron C 3D	65	TX-Zapata	1996	30	14,177	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	996	83	83		
Escambia River 3D	17	AL-Conecuh, AL-Escambia,	1994	36	24,018	SGR	6	2	SEG-Y		200	DYNAMITE	330	2,640	10	120-200			Brick (Double)	Geophone	330	1,320	8	576	165	165		
Escobas	160	TX-Jim Hogg, TX-Zapata	1993	20	13,764	I/O System 1	6	2	SEG-D	3	120	VIBROSEIS	200	2,000			4	8	Brick (Double)	Geophone	200	1,600	6	780	100	100		
Esperanza	28	TX-Wharton																										
Evangeline	65	LA-Acadia, LA-Jefferson	2005	84	22,952	I/O System 3	8	2	SEG-Y	3	207	DYNAMITE	246	1,574	5.5	80	4	8	Diagonal	Geophone	220	1,320	14	2,688	110	110		
Fairway	22	TX-Johnson	2004			OPSEIS/Eagle	4	2	SEG-Y		206	VIBROSEIS	233	700			3	8	Diagonal	Geophone	165	990			83	83		
Falfurrias	92	TX-Brooks, TX-Jim Wells	1998	30	14,971	I/O System 2	6	2	SEG-D		207	VIBROSEIS	165	1,320			5	6	Brick (Double)	Geophone	165	1,320	6	1,056	83	83		
Fannett	23	TX-Jefferson	1985	24	16,697	GUS-BUS	6	2			110	DYNAMITE	220	2,640	5	80			Cross-Line	Geophone	220	1,320	8	576	110	110		
Fannett Dome	81	TX-Jefferson	2003	45	18,216	I/O System 3	10	2	SEG-Y	3	207	DYNAMITE	220	1,760	3	60			Brick	Geophone	110	1,760	19	4,288	55	110		
Farmers Valley 3D	10	TX-Hardeman	1993		16,023	I/O System 1	3	2	SEG-D	3	180	VIBROSEIS	110	1,320			4	8	Cross-Line	Geophone	110	1,320	8	960	55	55		
Fausse Point 3D	53	LA-Iberia, LA-St. Mary	1995	22	15,289	SGR	8	2	SEG-Y	8	200	DYNAMITE	165	1,980	5.5	120			Brick (Double)	Hydrophone	165	1,320	6	1,080	83	83		
Fern Lake 3D		TX-Nacogdoches											220	1,980														
Fitts 3D Phase I	59		2000	35	10,652	I/O System 3	3	2	SEG-Y		200	DYNAMITE	220	1,760	2.5	30			Quintuple Brick	Geophone	220	880	14	1,120	110	110		
Fitts 3D Phase II	60		2001	35	10,652	I/O System 3	5	2	SEG-Y		187	DYNAMITE	220	1,760	2.5	30			Quintuple Brick	Geophone	220	880	14	1,120	110	110		

Acquisition Field Parameters

02/01/2012 01:14 PM

6

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Flaglake #24 3D	10	TX-Henderson, TX-Navarro	1993	12	12,267	Applied 5586	4	2	SEG-Y	8	124	DYNAMITE	880	1,320	0.33	4.5			Cross-Line	Geophone	220	2,640	5	240	110	220
Flair Dyn 3D	30		1995	22	10,404	Sercel 368-E	4	2	SEG-D	18	178	DYNAMITE	220	1,760	10	60			Brick	Geophone	220	880	8	720	110	110
Flair Vib 3D	16	ND-Stark	1994	15	9,082		4	2	SEG-D	12	160	VIBROSEIS	220	1,760			4	10	Brick	Geophone	220	880	6	480	110	110
Fleetwood 3D	197	LA-Iberville																								
Fluvanna 3D	12	TX-Borden	1993	30	20,807	I/O System 2	3	2	SEG-D		136	VIBROSEIS	440	1,320			4	8	Cross-Line	Geophone	220	1,760	8	720	110	220
Fondue 3D	113	LA-St. Bernard	2004	72	19,519	I/O System 3	7	2	SEG-D		208	DYNAMITE	246	1,377	4.4	80	4	8	Diagonal	Geophone	220	1,100	12	2,016	110	110
Forfeit Prebill - La Reforma																										
Forfeit Prebill - Lake Enfermer		LA-Lafourche	2012																							
Forfeit Prebill - Texas Offshore																										
Forfeit Prebill - Texas Offshore																										
Forfeit Prebill - W Cam																										
Forfeit Prebill - Zebb																										
Forfeit Prebill - Zogg																										
Fort Pike 3D	105	LA-Orleans																								
Francisco South	21	TX-Zapata	1995	20	10,166	MDS 16	5	2	SEG-D	8	93	VIBROSEIS	165	990			4	10	Cross-Line	Geophone	165	1,320	4	480	83	83
Fulton 3D	65	LA-Beauregard	2004	46	17,669	I/O System 2	8	2	SEG-Y	3	207	DYNAMITE	220	1,760	5.5	80			Brick	Geophone	220	1,320	10	1,500	110	110
Fulton Beach	6	TX-Aransas	1995	40	21,113	Vision	5	2	SEG-D		206	VIBROSEIS	220	1,100			3	8	Cross-Line	Geophone	220	1,320	11	690	110	110
Gaffney/North Gaffney	37	TX-Victoria	1997	18	7,875	I/O System 2	6	2	SEG-D		207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	660	110	110
Galveston Brazos 3D	603	TX-Brazos (Fed. Offshor	2004	28	9,092	TRIACQ-NESSIE	13	2	SEG-D	3	200	AIRGUN	38	80					In-Line	Hydrophone	25	160	6	2,112	13	40
Galveston Phase III	526	TX-Galveston (State Wate	1997	60	7,018	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800					Cross-Line	Dual	50	640	2	514	25	40
Garwood	41	TX-Colorado	1994	40	14,115	OPSEIS	7	2	SEG-Y	8	180	PENTOLITE	440	1,320	11	100			Cross-Line	Geophone	220	1,760	8	960	110	220
Garwood/Provident	151	TX-Colorado, TX-Lavaca																								
Geaslin #22 3D	36	TX-Terrell	1994	45	13,674	I/O System 2	5	2	SEG-D	3	120	VIBROSEIS	330	1,100			4	8	Cross-Line	Geophone	220	1,155	8	944	110	165
Geneva 3D	23			21		I/O System 2	8	2				PENTOLITE	220	2,200	8	120			Brick (Double)	Geophone	220	1,540	6	870	110	110
Gerton Springs #16 3D	24	WY-Fremont	1994	15	10,225	I/O System 2	3	2	SEG-D		135	VIBROSEIS	220	2,640			4	10	Brick (Double)	Geophone	220	1,320	10	720	110	110
Gheens 3D	263	LA-Lafourche, LA-St. Cha	2006	56	25,490	I/O System 3	10	2	SEG-Y	3	207	PENTOLITE	311	1,245	11	150			Diagonal	Geophone	220	1,760	8	1,792	110	110
Giga 1 3D	614	LA-Eugene Island - South	1987	20	12,000	DFS V	7	3		5	90	AIRGUN	300						In-Line	Hydrophone	50		3	720		
Giga 2 3D	758	LA-South Marsh Island -	1987	20	12,000	DFS V	7	3		5	90	AIRGUN	300						In-Line	Hydrophone	50			240		
Gillock	65	TX-Galveston	1998	36	16,593	I/O System 3	7	2	SEG-D	3	207	DYNAMITE	220	1,760	5.5	80	4	8	Brick (Double)	Geophone	220	1,320	8	1,152	110	110
Gitano 3D	15	MS-Jones	1996	26	17,363	I/O System 2	6	2	SEG-D		207	PENTOLITE	220	1,540	2.5/5.5	80ft			Brick (Double)	Geophone	220	1,320	10	730	110	110
Glasscock Hollow #106 3D	39	WY-Uinta	1984	15	11,600	SGR	5	2		18	200	DYNAMITE			100	128			Cross-Line		165	400		480	200	83
Glasscock Ranch and	108	TX-Colorado	2007	70	21,142	I/O System 4	8	2	SEG-Y		178	DYNAMITE	311	1,400	5.5	80/90			Diagonal	Geophone	220	1,100	14	2,520	110	110
Glenda 3D	198	TX-High Island - East, S	1988	60	9,840	DFS V	7	4		8	128	AIRGUN	82	98					In-Line	Hydrophone	82		2	120	13	30
Golden Meadow 3D	80	LA-Lafourche	1998	26	18,853	OPSEIS/Eagle	8	2	SEG-Y	3	206	DYNAMITE	232	2,505	15	140			Diagonal	Geophone	220	1,760	8	1,280	110	110
Goltry #80 3D	15	OK-Alfalfa	1995	78	16,114	I/O System 2	3	2	SEG-D		125	VIBROSEIS	220	1,320			4	12	Brick (Double)	Geophone	220	660	12	864	110	110
Gooseberry Field #27 3D	10	WY-Hot Springs, WY-Park	1994	22	15,011	I/O System 2	3	2	SEG-D	9	188	DYNAMITE	240	1,600	16.5	60			Brick (Double)	Geophone	160	1,200	10	870	80	120
Graceland	31	TX-Colorado	1996	36	14,729	I/O System 2	8	2	SEG-D			DYNAMITE	440	1,540	10	75			Brick	Geophone	220	1,320	8	1,008	110	220
Gracey Ranch 3D	23	TX-Wharton	1995	23	14,308	OPSEIS/Eagle	6	2	SEG-Y	3	206	DYNAMITE	440	1,760	10	100			Brick	Geophone	220	1,320	6	756	110	220
Grand Island	30	CA-Sacramento	2001	72	18,257	OPSEIS/Eagle	8	2	SEG-D	3	206	EXPLOSIVE	311	933	2.5	20/40			Diagonal	Geophone	220	1,320	12	1,728	110	110
Grand Isle 33																										
Grande Mega Merge																										
Greens Lake (BR) 3D	21	TX-Galveston	1996	70	29,260	OPSEIS/Eagle	8	2	SEG-Y	3	206	DYNAMITE	440	1,980	5.5	100	4	12	Brick (Triple)	Geophone	220	880	10	1,340	110	220
Greens Lake (Mobil)	82	TX-Galveston	1991	25	18,675	SGR	8	2	SEG-Y			DYNAMITE	250	2,250	40	120			Cross-Line	Geophone	250	3,000	10	900	125	125

Acquisition Field Parameters

02/01/2012 01:14 PM

7

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Greta	10	TX-Refugio	1996	24	21,593	I/O System 2	6	2	SEG-D	3	207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	800	110	110
Grimes 3D	5		1989	24	11,676	Sercel 368-E	5	2	SEG-D	12	178	MINIHOLE	220	1,100	6 x 1/2	5			Cross-Line	Geophone	220	1,320	6	240	110	110
Groce	35	TX-Brazoria, TX-Fort Ben	2006	68	19,200	I/O System 3	10	2	SEG-Y		207	PENTOLITE	246	1,377	5.5/11	80			Diagonal	Geophone	220	1,320	12	1,920	110	110
Gum Gully-Peveto 3D	47	TX-Orange	1999	33	17,611	I/O System 2	8	2	SEG-D	3	207	PENTOLITE	492	1,280	5.5	100			Diagonal	Geophone	220	1,320	12	1,728	110	110
Guy	10	TX-Fort Bend	1999	40	14,217	I/O System 2	7	2	SEG-D	3	207	PENTOLITE	233	933	5.5	80			Diagonal	Geophone	165	1,320	8	1,288	83	83
Hackberry 3D	59	LA-Cameron	1995	30	30,976	SGR	12	2	SEG-Y	8	200	PENTOLITE	220	1,760	11	120			Cross-Line	Geophone	220	1,760	10	1,920	110	110
Hallettsville-Lavaca 3D	44	TX-Lavaca	1994	20	10,995	Sercel 368-E	6	2	SEG-D		125	VIBROSEIS	330	1,485			3	6	Cross-Line	Geophone	165	1,650	6	720	83	165
Hammer 3D	97	LA-Vermilion (State/Fed.	1992	34	20,400		10	4				AIRGUN	300													
Hancock County 3D	8	MS-Hancock	2005			OPSEIS/Eagle	6	2	SEG-D		206	DYNAMITE			1	18						220		1,147		
Hangover 3D	262	LA-East Cameron - South	1991	32	17,000		9	4				AIRGUN	246						In-Line	Hydrophone					41	108
Happy		TX-Garza	1991	12	17,513	MDS 18	3	2	SEG-D		125	VIBROSEIS	330	2,640			4	8	Cross-Line	Geophone	220	1,980	7	504	110	165
Harco	7	TX-Hardeman	1993	35	11,323	I/O System 2	3	2	SEG-D	3	120	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	110	1,320	7	840	55	110
Harper #79 3D	17	OK-Pawnee	1996	36	5,805	Vision	3	2	SEG-D		206	VIBROSEIS	220	880			2	12	Brick (Double)	Geophone	220	440	12	576	110	110
Hathaway 3D	58	LA-Acadia, LA-Jefferson	1999	37	26,999	I/O System 3	8	2			207	DYNAMITE	220	1,760	2.5	60			Brick (Double)	Geophone	220	1,320	10	1,200	110	110
Haynes Ranch	42	TX-Zapata	1995	31	14,176	I/O System 2	6	2	SEG-D		135	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	1,008	83	83
Haynes Ranch North	13	TX-Zapata	1997	30	13,702	I/O System 2	6	2	SEG-D		135	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	960	83	83
Heath 3D	13	TX-Yoakum	1991		12,227	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,760	7	392	110	110
Heidelberg	37	MS-Jasper	1993	24	14,468	I/O System 1	6	2	SEG-D	9	120	DYNAMITE	400	1,200	20	100			Brick (Double)	Geophone	200	1,200	4	576	100	200
Hereford Ranch	28	TX-Webb	1997	27	12,445	I/O System 2	5	2	SEG-D		136	VIBROSEIS	165	990			5	8	Brick (Double)	Geophone	165	1,320	6	864	83	83
Hidalgo City	36	TX-Hidalgo	2003	74	16,205	I/O System 3	6	2	SEG-Y	3	207	VIBROSEIS	165	1,320			3	10	Brick (Single)	Geophone	165	1,320	18	2,664	83	83
Hidalgo County Merge (excl	606																									
High Island (Onshore)	67	TX-Chambers, TX-Galvesto	2006	80	38,000	I/O System 3	8	2	SEG-Y		207	DYNAMITE	246	1,574	5.5	100			Diagonal	Geophone	220	1,760	19	2,642	110	110
High Island Phase I 3D	278	TX-Galveston (State Wate	1995	100	14,407	Syntrak	8	2	SEG-D	3	218	AIRGUN	50	100					In-Line	Hydrophone	25	800	2	768	13	50
High Island Phase II 3D	126	TX-Galveston (State Wate	1995	100	14,407	Syntrak	8	2	SEG-D	3	218	AIRGUN	50	100					In-Line	Hydrophone	25	800	2	768	13	50
High Island Phase III 3D	102	TX-Galveston (State Wate	1995	100	14,407	Syntrak	8	2	SEG-D	3	218	AIRGUN	50	100					In-Line	Dual	50	800	2	384	25	50
High Island Phase IV 3D	102	TX-Galveston (State Wate	1996	60	19,696	Syntrak	8	2	SEG-D	3	218	AIRGUN	165	330					In-Line	Hydrophone	328	2,625	2	240	83	165
Highway 77	15	TX-Victoria											369	590					Diagonal	Geophone	165	825			83	83
Hinyard 3D	6	TX-Pecos	1995	24	18,855	MDS 18	4	2	SEG-D		125	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	220	1,320	9	648	110	110
Hocker 3D	31	OK-Beckham	1996	17	9,900	Sercel 368-E	6	2	SEG-D	8	177	DYNAMITE	165	2,310	20	70	4	8		Geophone	165	1,155	8	960	83	83
Hollicar Creek		MS-Clarke, MS-Wayne																								
Honda	25	TX-Zapata	1998	30	10,586	Compuseis	5	2	SEG-D	8	206	VIBROSEIS	165	990			4	10	Brick (Triple)	Geophone	165	1,320	6	720	83	83
Hortense 3D	58	TX-Polk	2004	44	39,138	I/O System 2	8	2	SEG-D		207	PENTOLITE	220	1,760	5.5	120			Brick (Double)	Geophone	220	1,760	8	1,408	110	110
Hostetter 3D	104	TX-Duval, TX-Live Oak, T	1996	37	16,887	I/O System 2	6	2	SEG-D	6	135	VIBROSEIS	165	1,650			4	8	Cross-Line	Geophone	165	1,320	6	1,200	83	83
Hot Lips #63 3D	15	OK-Dewey	1997	33	17,415	I/O System 2	5	2	SEG-D		136	VIBROSEIS	220	1,760			5	12	Brick (Double)	Geophone	220	1,100	14	1,080	110	110
Houma Embayment	90	LA-Lafourche, LA-Terrebo	2002	44	20,212	I/O System 3	10	2	SEG-D	3	207	PENTOLITE	232	1,670	11	150	4	10	Diagonal	Geophone	220	1,760	8	1,408	110	110
Howard Creek 3D	92	LA-Beauregard, LA-Calcas	2000	36	16,593	I/O System 2	6	2	SEG-D		207	DYNAMITE	220	1,760	5.5	100			Brick (Double)	Geophone	220	1,320	8	1,152	110	110
Hundido-Enron	19	TX-Zapata	1993	21	11,920	I/O System 2	5	2	Unknown	9	136	VIBROSEIS	165	1,485			4	10	Cross-Line	Geophone	165	1,485	6	756	83	83
Hundido-SAI	20	TX-Zapata											233	1,320					Zig-Zag		165	1,320				
Hurricane Creek	132	LA-Beauregard	2007	66	20,815	ARAM 24	8	2	SEG-Y	3	205	PENTOLITE	311	1,245	5.5	80			Diagonal	Geophone	220	1,320	12	2,112	110	110
Hurt Dog 2 3D		TX-Hardeman	1996	28	9,873	I/O System 2	4	2	SEG-D		135	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	10	900	83	83
Hurt Dog 3D	31	TX-Hardeman	1996	36	11,829	I/O System 2	4	2	SEG-D		125	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	10	1,200	83	83
IP Farms	52	TX-Brazoria, TX-Galvesto	1997	25	17,290	OPSEIS/Eagle	8	2	SEG-Y	3	206	PENTOLITE	220	1,980	5.5	100/120			Brick (Triple)	Geophone	220	1,320	6	924	110	110
Indian Village	121	LA-Allen, LA-Evangeline	1998	37	14,660	I/O System 3	8	2	SEG-D	3	207	DYNAMITE	220	1,760	5.5	100			Brick (Double)	Geophone	220	1,320	10	1,200	110	110

Acquisition Field Parameters

02/01/2012 01:14 PM

8

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Indianola		OK-Pittsburg	2008	54	16,488		5	2			180	DYNAMITE	220	1,320	5	20			Cross-Line	Geophone	220	880	12	790	110	110
Island Deep 3D	10	OK-Pittsburg	2007	28	25,500	I/O System 2	3	2	SEG-D		180	DYNAMITE	220	1,760	5	30			Brick (Double)		220	1,320	13	992	110	110
J.I.L 3D						I/O System 1	5	2	SEG-D	3	180		220				4	10								
JC Martin	16	TX-Zapata	1991	20	10,166	MDS 16	5	2	SEG-D	8	93	VIBROSEIS	165	990			4	12	Cross-Line	Geophone	165	1,320	4	480	83	83
Jeanerette 3D	83	LA-St. Mary	1998	30	19,500	I/O System 3	8	2	SEG-D		125	DYNAMITE	215	1,674	6	50			Diagonal	Geophone	200	1,600	6	1,140	100	100
Jenkins Wideline #136 3D	2	OK-Atoka	1987	90	6,600	DFS V	5	2				DYNAMITE	660		50	100					165					
Jennings Garza	42	TX-Zapata	1996	30	13,702	I/O System 2	6	2	SEG-D		136	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	960	83	83
Jennings Ranch	42	TX-Zapata	1998	50	17,245	I/O System 2	6	2	SEG-D		135	VIBROSEIS	165	1,320			4	8	Brick (Double)	Geophone	165	1,320	8	1,600	83	83
Jessica 3D	6	TX-Wharton	1990	30	17,949	Unknown	3	2	Unknown			MINIHOLE	440	660	8 x 0.33	5			Cross-Line	Geophone	220	880	5	300	110	220
Jester 3D	61	TX-Fort Bend	2004	37	14,659	Sercel 408	6	2				VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	10	1,200	110	110
Jimmy Hill Wideline #330 3D	6	TX-Leon	1996	20	19,635	I/O System 2	8	2	SEG-D		207	DYNAMITE	495		11	110			In-Line	Geophone	165		1	240		
Johnson's Bayou TZ 3D	40	LA-Cameron	1996	36	27,620	Polyseis	10	2	SEG-D			DYNAMITE	440	3,520	11	100-200			Brick (Single)	Hydrophone	440	1,760	10	1,200	220	220
Jomill 3D	23	TX-Borden	1994	66	20,705	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	10	Cross-Line	Geophone	220	1,320	7	644	110	110
Jones Branch	23	TX-Wharton	1997	33	12,851	Sercel 388	6	2	SEG-D		250	PENTOLITE	220	1,760	5.5	80			Brick (Double)	Geophone	220	1,320	12	1,116	110	110
Jose #21 3D	25	TX-Webb	1996	30	10,586	Vision	6	2	SEG-D	7	206	VIBROSEIS	165	990			4	10	Brick (Triple)	Geophone	165	1,320	6	720	83	83
Jose 3D	25	TX-Webb	1996	30	10,586	Vision	6	2	SEG 2	7	206	VIBROSEIS	165	990			4	10	Brick (Triple)	Geophone	165	1,320	6	720	83	83
Judge Digby 3D	111	LA-East Baton Rouge, LA-	1995	25	22,039	SGR	8	2	SEG-Y	8	200	DYNAMITE	220	3,960	11	120			Cross-Line	Geophone	220	1,980	6	1,080	110	110
Judge Digby Extension 3D	106	LA-East Baton Rouge	2004	32	30,602	I/O System 3	10	2	SEG-Y		207	PENTOLITE	232	1,880	8	120	4	8	Diagonal	Geophone	220	1,760	16	3,968	110	110
Jupiter #01 3D	11	MT-Roosevelt	1993	15	9,082	Sercel 368-E	3	2	SEG-Y	12	178	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	880	6	480	110	110
Katerina/ Stoney Brook #33 3D	8	MT-Richland	1994	24	12,267	DFS V	4	2	SEG-B	27	128	DYNAMITE	220	1,320	3.5	40			Cross-Line	Geophone	220	1,200	12	576	110	110
Kawitt East	19	TX-De Witt	1997	55	20,662	I/O System 2	6	2	SEG-D		135	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,320	10	900	110	110
Kawitt West	6	TX-De Witt	1997	57	21,979	I/O System 2	6	2	SEG-Y		135	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,320	12	690	110	110
Keeper 3D	46	TX-Kleberg	2001	39	17,530	RAPS-2000	6	2	SEG-D		205	VIBROSEIS	165	1,320	5.5	100	4	8	Brick (Triple)	Geophone	165	1,320	6	1,248	83	83
Kickapoo #82 3D	8	OK-Murray	1995	49	21,561	I/O System 2	3	2	SEG-D		125	VIBROSEIS	220	880				12	Brick (Double)	Geophone	220	440	8	784	110	110
Kincaid Ranch Paloma 3D		TX-Maverick	1999	27	9,314	I/O System 2	5	2	SEG-D		135	VIBROSEIS	150	1,350			4	8	Brick (Double)	Geophone	150	1,200	10	960	75	75
Kingdom Slaughter #78 3D	16	TX-Hockley, TX-Terry	1995	72	13,880	I/O System 2	4	2	SEG-D	3	135	VIBROSEIS	220	1,320			4	8	Brick (Double)	Geophone	220	1,320	8	896	110	110
Kirkwood JV 3D		ND-Mountrail																								
Knife Shore #06 3D	20	ND-Dunn	1995	20	10,403	Sercel 368-E	4	2	SEG-D	12	178	DYNAMITE	220	1,980	10	60			Brick	Geophone	220	880	8	720	110	110
Knight Phase I	83	TX-Polk	2003	67	22,343	I/O System 2	10	2	SEG-D		207	DYNAMITE	220	1,760	5.5	120			Brick	Geophone	220	1,760	12	2,160	110	110
Knight Phase II	214	TX-Polk	2004	67	22,343	I/O System 2	10	2	SEG-D		207	DYNAMITE	220	1,760	5.5	80/120			Brick	Geophone	220	1,760	12	2,160	110	110
Knight Phase III	97	TX-Tyler	2005	90	28,740	I/O System 2	10	2	SEG-D		207	DYNAMITE	220	1,760	5.5	120	4	6	Brick	Geophone	220	1,760	12	2,928	110	110
Knight Phase IV	205	TX-Hardin, TX-Tyler	2007	90	28,740	I/O System 2	10	2	SEG-D		207	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,760	12	2,928	110	110
Kolache	84	TX-Lavaca	2005	50	18,694	I/O System 2	8	2	SEG-Y		207	PENTOLITE	311	1,245	5.5	80			Diagonal	Geophone	220	1,320	10	1,600	110	110
La Blanca	37	TX-Hidalgo	1996	30	14,863	I/O System 2	6	2	SEG-D		207	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,760	8	960	110	110
La Grulla West	18	TX-Starr	2006	45	23,453	I/O System 3	7	2	SEG-Y		207	MINIHOLE	165	1,650	0.33/2	3-20	3	8	Brick (Double)	Geophone	165	990	18	1,800	83	83
La Reforma	87	TX-Hidalgo, TX-Starr	1998	36	16,888	I/O System 2	6	2	SEG-D		136	VIBROSEIS	165	1,320			3	10	Brick (Double)	Geophone	165	1,320	6	1,200	83	83
LaRose 3D		LA-Lafourche	2003	43	16,478	I/O System 3	8	2	SEG-Y	3	208	PENTOLITE	220	1,760	5.5	100			Brick	Geophone	220	1,760	12	1,392	110	110
Lago	40	TX-Willacy	1996	30	13,776	Vision	6	2	SEG-D		206	VIBROSEIS	220	1,320			4	12	Brick (Triple)	Geophone	220	1,100	6	720	110	110
Laguna Madre	108	TX-Cameron	2007	80	22,022	I/O System 3	10	2	SEG-Y		207	DYNAMITE	246	1,181	5.5	80	4	8	Diagonal	Geophone	220	1,320	10	1,920	110	110
Laguna Madre Ph II	127	TX-Cameron																								
Lake Arthur North	114	LA-Jefferson Davis	2003	73	20,350	I/O System 3	8	2	SEG-Y	3	207	DYNAMITE	311	1,245	2.5/5.5	80			Diagonal	Geophone	220	1,320	10	1,760	110	110
Lake Arthur South 3D	59	LA-Cameron, LA-Jefferson	2005	48	18,945	I/O System 3	8	2	SEG-Y		207	DYNAMITE	311	1,400	5.5	80	4	8	Diagonal	Geophone	220	1,760	12	1,728	110	110
Lake Enfermer 3D	32	LA-Lafourche	1995	27	16,394	OPSEIS/Eagle	8	2	SEG-Y	3	206	PENTOLITE	220	1,760	11	150			Brick (Double)	Geophone	220	1,540	6	864	110	110

Acquisition Field Parameters

02/01/2012 01:14 PM

9

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters								
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size	
Lake Texoma Wideline #133 3D	23	OK-Love, OK-Marshall, TX	1984	30								DYNAMITE	440								110				55	660	
Lamar	17	TX-San Patricio	2001			I/O System 3	6	2				VIBROSEIS	165	1,320					Brick (Double)	Geophone	165	1,320	8		83	83	
Landa	9	TX-Hidalgo	1997	24	21,271	Vision	6	2	SEG-D	8	206	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	220	1,320	6	576	110	110	
Landslide #46 3D	23	CA-Kern	1986	18	10,290	DFS V	5	4	SEG-B	8	64	VIBROSEIS	330	660			4	16	Cross-Line	Geophone	220	990	6	240	110	165	
Las Ovejas	16	TX-Zapata	1994	21	11,233	I/O System 2	5		SEG-D		135	VIBROSEIS	165	1,485			4	10	Cross-Line	Geophone	165	1,485	6	756	83	83	
Lasater	35	TX-Brooks, TX-Jim Wells	1999	46	13,952	I/O System 2	6	2	SEG-D		135	VIBROSEIS	165	1,320	2.5	20	3	8	Brick (Double)	Geophone	165	1,320	10	1,500	83	83	
Laurel 3D	37	MS-Jones	1996			I/O System 2	6	2	SEG-D		188	PENTOLITE	220	1,320	2.5 - 8		4			Geophone	220	1,320			110	110	
League City 3D		TX-Galveston	1992	18	17,133							DYNAMITE	440	1,760	5/10	120			Cross-Line	Geophone	220	1,760	8	576	110	220	
Leroy & White Oak #84 3D	1	MI-Ingham	1980	20		SGR						VIBROSEIS	220			5					200						
Lewisville 3D	31	AR-Lafayette	2003	31	11,047	OPSEIS/Eagle	6	2	SEG-Y		206	DYNAMITE	220	1,980	2.5	40	1	8	Brick	Geophone	165	660	12	1,512	83	110	
Liberty	48	TX-Liberty	2003	56	19,727	I/O System 3	6	2	SEG-Y	3	207	DYNAMITE	311	1,245	2.5	80	4	8	Diagonal	Geophone	220	1,320	8	1,360	110	110	
Liberty Montgomery Rayburn	178	TX-Liberty, TX-Montgomer	1998	32	16,593	I/O System 3	8	2	Unknown			PENTOLITE	220	1,980	5.5	90			Cross-Line	Geophone	220	1,320	8	1,152	110	110	
Little Butte 3D	50	ND-Burke, ND-Mountrail	2008	60	12,637	ARAM 16	6	2	SEG-Y	3	123	VIBROSEIS	233	817			2	6	Diagonal	3-C (G in	83	1,155	16	210	41	83	
Little Elk Creek # 49 3D	6	OK-Kiowa	1992	22	10,586	MDS 18	4	2	SEG-D	7	125	VIBROSEIS	220	1,320			4	6	Cross-Line	Geophone	165	1,320	6	720	83	110	
Liverpool	35	TX-Brazoria	2001	42	18,078	I/O System 3	8	2	SEG-D	3	207	DYNAMITE	311	1,711	2.5	60			Diagonal	Geophone	220	1,100	12	1,848	110	110	
Livingston 3D	27	TX-Polk	2003				6	2				DYNAMITE	220	1,760							220	660			110	110	
Llano CSL 3D	27	TX-Tom Green	1997	20	8,366	RAPS-2000	3	2	SEG-D	8	206	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	220	1,320	8	480	110	110	
Loco Draw #07 3D	21	NM-Chaves	1993	36	12,084	I/O System 2	3	2	SEG-D		135	VIBROSEIS	220	1,760			4	10	Cross-Line	Geophone	220	1,320	7	588	110	110	
Loco Hills #77 3D	21	NM-Eddy	1994	36	11,123	I/O System 2	3	2	SEG-D		135	VIBROSEIS	330	1,320			4	10	Cross-Line	Geophone	220	1,320	12	864	110	165	
Lodge Pole 3D	182	ND-Dunn, ND-Mercer		24	11,292	I/O System 2	4	2	SEG-D			DYNAMITE	176	1,760		60			Brick (Double)	Geophone	176	1,056	8	960	88	88	
Lodgepole Area 3 3D	30	ND-Stark	1995				3						220	1,760							220	1,100	12	64			
Lone Star Bayou 3D	318	LA-Sabine Pass (State/Fe	2006	90	29,915	Sercel 408	13	2	SEG-D		200	AIRGUN	165	660					Cross-Line	Dual	165	1,980	2	1,440	82	82	
Longhorn	38	TX-Bee	2010	70	14,332	ARAM 24	6	2	SEG-Y	3	205	VIBROSEIS	369	590			3	6	Diagonal	Geophone	165	825	14	2,240	83	83	
Longville 3D	115	LA-Allen, LA-Beauregard	2007	80	24,370	Sercel 428	8	2	SEG-D		200	DYNAMITE	220	1,980	5.5	80			Brick (Triple)	Geophone	220	1,320	14	2,884	110	110	
Lopeno	20	TX-Starr, TX-Zapata	1994	18	16,119	GUS-1000	6	2	Unknown		160	VIBROSEIS	220	1,760			5	8	Cross-Line	Geophone	220	1,760	4	576	110	110	
Lopez	30	TX-Brooks	2007	91	18,895	I/O System 2	7	2	SEG-D	3	135	VIBROSEIS	233	933			4	8	Diagonal	Geophone	165	1,155	14	208	83	83	
Los Indios	126	TX-Hidalgo, TX-Kenedy, T	2002	100	20,329	I/O System 2	8	2	SEG-D		207	VIBROSEIS	233	1,400			3	4	Zig-Zag	Geophone	165	990	6	1,440	83	83	
Los Indios - Cabot	25	TX-Hidalgo	1997	31	13,683	I/O System 2	6	2	SEG-D		135	VIBROSEIS	300	1,200			3	5	Diagonal	Geophone	212	848	8	1,008	106	106	
Los Mogotes	40	TX-Zapata	1995	24	14,863	Vision	6	2	SEG-D	8	206	VIBROSEIS	220	2,200			4	10	Cross-Line	Geophone	220	1,760	8	960	110	110	
Lost Fork 3D	6	TX-Jackson, TX-Wharton	1995	19	8,113	I/O System 2	6	2	SEG-D		125	PENTOLITE	220	1,320	2.5	100			Brick (Double)	Geophone	220	1,320	8	456	110	110	
Louise	12	TX-Jackson, TX-Wharton	1998	36	18,782	I/O System 2	6	2	SEG-D		207	DYNAMITE	220	1,980		60			Brick (Triple)	Geophone	220	880	10	650	110	110	
Lovell's Lake 3D	65	TX-Jefferson	1998	36	16,593	I/O System 3	8	2	SEG-D	3	135	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	8	1,152	110	110	
Lucky Lindy 3D	21	ND-Stark		39	11,603	I/O System 2	3	2	SEG-D		136	DYNAMITE	220	1,320	2.5	60	4	12	Cross-Line	Geophone	220	1,320	13	936	110	110	
MP-290 3D	46	LA-Main Pass - South and	1988	40	12,800		7	3				AIRGUN	150								50						
Madisonville 3D	33	TX-Madison	1998	35	35,970	I/O System 2	6	2	SEG-D		207	PENTOLITE	330	1,980	5.5				Brick (Triple)	Geophone	165	1,980	8	1,688	83	165	
Maetze	9	TX-Goliad	1997			I/O System 2	6	2	SEG-D		135	PENTOLITE			5	60			Brick (Triple)	Geophone							
Magnet-Withers	30	TX-Wharton	2002	52	20,138	OPSEIS/Eagle	6	2	Unknown			DYNAMITE	246	1,574	2.5	20			Diagonal	Geophone	220	1,650	10	1,680	110	110	
Maguelles Tank	28	TX-Zapata	1994	24	12,250	MDS 16	6	2	SEG-D	8	93	VIBROSEIS	165	990			4	10	Brick (Double)	Geophone	165	1,650	4	576	83	83	
Maguelles Tank Ext	30	TX-Zapata	1995	24	12,250	Vision	6	2	SEG-D	8	206	VIBROSEIS	165	990			4	10	Brick (Double)	Geophone	165	1,650	4	576	83	83	
Main Pass North 3D	217	LA-Main Pass (State/Fed.	1994	96	11,188	Syntrak	8	2	SEG-D	8		AIRGUN	50	100					In-Line	Hydrophone	25	600	2	768	13	50	
Malakoff 3D	17	TX-Webb	1993	20	19,734	MDS 16	5	2	SEG-D	8	93	VIBROSEIS	165	990			4	8	Cross-Line	Geophone	165	1,320	4	480	83	83	
Mallard Bay 3D	67	LA-Vermilion	1995	78	33,166	I/O System 2	8	2	SEG-D			DYNAMITE	330	1,650	10	20			Cross-Line	Geophone	165	2,640	13	1,560	83	165	
Manderson Field # 83 3D	25	WY-Big Horn	1997	28	12,511	I/O System 2	4	2	SEG-D	3	135	VIBROSEIS	220	1,540			4	6	Zig-Zag	Geophone	220	1,540	8	800	110	110	

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Margosa	13	TX-Jim Wells	2008	65	15,492	Sercel 408						VIBROSEIS	185	1,033					Diagonal	Geophone	165	825	10	1,820	83	83
Marlin 3D	249	LA-West Delta (State/Fed	1988	20	13,000	DFS V	7	3		5	90	AIRGUN	300						In-Line		50			240		
Marshall	25	TX-Zapata	1993	20	10,166	MDS 16	5	2	SEG-D	8	93	VIBROSEIS	165	990			4	10	In-Line	Geophone	165	1,320	4	480	83	83
Marshall ND	107	ND-Dunn, ND-Stark	1996	25	10,733	Sercel 368-E	4	2	SEG-D		178	DYNAMITE	220	1,980	10	60			Brick	Geophone	220	880	10	900	110	110
Martin Bayou	6	LA-Plaquemines	1990																						110	110
Martin Sanchez	22	TX-Zapata	1994	20	10,011	MDS 16	5	2	SEG-D	8	93	VIBROSEIS	165	990			4	10	Cross-Line	Geophone	165	1,320	4	480	83	83
Martinez	35	TX-Jim Hogg, TX-Zapata	1992	22	15,565	GUS-1000	6	4	Unknown	8	80	VIBROSEIS	200	2,000			4	8	Brick (Double)	Geophone	200	1,500	6	900	100	100
Martinique 3D	118	OS-Garden Banks	1991	30	20,300		10	4				AIRGUN	300						In-Line	Hydrophone				360		
Martinville 3D	24	MS-Simpson	1995	32	27,110	I/O System 2	6	2	SEG-D		135	PENTOLITE	440	1,320	5.5	100			Brick (Triple)	Geophone	220	1,760	8	960	110	220
Mas Grande		TX-Jim Hogg, TX-Zapata																								
Matagorda Bay	138	TX-Matagorda, TX-Matagor	1997	100	32,876	I/O System 3	10	4	SEG-D			AIRGUN	165	330					In-Line	Hydrophone	165	1,650	2	400	83	165
Matagorda Bay Corona Merge																										
Matagorda Extension Phase I	377	TX-Matagorda Island (Sta	2007	80	10,103	Sercel 408	13	2	SEG-D		207	AIRGUN	60	480					Cross-Line	Dual	60	720	2	640	30	30
Matagorda Extension Phase II	114	TX-Matagorda Island (Sta	2007	80	10,103	Sercel 408	13	2	SEG-D		207	AIRGUN	60	480					Cross-Line	Dual	60	720	2	640	30	30
Matagorda Extension Phase III	109	TX-Matagorda Island (Sta	2007	80	10,103	Sercel 408	13	2	SEG-D		207	AIRGUN	60	480					Cross-Line	Dual	60	720	2	320	30	30
Matagorda Extension Phase IV	382	TX-Matagorda Island (Sta	2008	80	10,103	Sercel 408	13	2	SEG-D		207	AIRGUN	60	480					Cross-Line	Dual	60	720	2	640	30	30
Matagorda Peninsula 3D	143	TX-Matagorda, TX-Matagor	1997	40	15,780	I/O System 3	8	4	SEG-D			AIRGUN	80	300	5.5	52			Cross-Line	Hydrophone	50	640	6	690	25	40
Matagorda Peninsula Phase 2	93		1997			I/O System 3	8	4				AIRGUN	80	100					Cross-Line	Hydrophone	50	640	4	372	40	25
Maude B. Traylor & Ext	34	TX-Calhoun, TX-Jackson	1994	21	19,049	SGR	8	2	SEG-Y	8	200	DYNAMITE	165	2,640	5	80			Cross-Line	Geophone	165	1,650	6	1,344	83	83
Mauriceville	60	TX-Jasper, TX-Newton, TX	2004	42	15,892	I/O System 3	8	2	SEG-Y		207	DYNAMITE	185	1,771	2.5	80	4	8	Diagonal	Geophone	165	1,320	12	2,016	83	83
Maverick 3D	21	TX-Maverick, TX-Zavala	1992	16	8,712	I/O System 2	5	2	SEG-D		207	VIBROSEIS	220	1,760			5	8	Cross-Line	Geophone	220	1,320	8	512	110	110
Meaux 3D	18	LA-Vermilion	1992	65	35,000	SGR	8	2	SEG-Y	8	200	DYNAMITE	220	2,640	1 to 8	117			In-Line	Geophone	220	2,640	9	1,324	110	110
Mecom Ranch 3D	47	LA-Cameron	1990	30	16,818	SGR	8	2	SEG-Y	8	200	DYNAMITE	220	1,760	15	112			Cross-Line	Geophone	220	2,640	8	960	110	110
Medicine Berry 3D	37	TX-Hardeman	1994	24	9,450	I/O System 1	4	2	SEG-D	9	180	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	9	864	83	83
Medicine Mound 3D	4	TX-Hardeman																								
Mega 3D	1,093	LA-Main Pass - South and	1986	30	12,000	DFS V	7	3		5	90	AIRGUN	300						In-Line		50					
Mellot Ranch #26 3D	4	WY-Crook	1996	11	12,727	DFS V	4	2	SEG-B	27	128	DYNAMITE	160	1,920	7.5	60			Brick (Triple)	Geophone	160	1,280	8	528	80	80
Melville 3D																										
Mensa 3D	436	OS-Mississippi Canyon	1989	20	12,000		10	4				AIRGUN	300													
Mercedes Connection 3D	240	TX-Cameron, TX-Hidalgo,	2008	65	22,010	I/O System 3	6	2	SEG-Y		207	VIBROSEIS	185	1,180	2	20	4	8	Diagonal	Geophone	165	1,320	8	2,080	83	83
Merit	35	TX-Hidalgo, TX-Starr	1994	24	12,044	I/O System 1	5	2	SEG-D	9	120	VIBROSEIS	330	1,320			4	8	Brick (Double)	Geophone	165	1,980	6	768	83	165
Mesa Del Rey	75	TX-Willacy	2003	50	17,245	I/O System 2	8	2	SEG-D		207	VIBROSEIS	165	1,320			3	8	Brick	Geophone	165	1,320	8	1,600	83	83
Mexia 3D	8	AL-Monroe	1993	36	9,458	I/O System 2	8	2	SEG-D		207	DYNAMITE	220	1,320	2-20	70-120			Brick (Double)	Geophone	220	880	18	864	110	110
Middle Bayou 3D	35	LA-Avoyelles, LA-Catahou	1998	60	16,818	I/O System 2	8	2	SEG-D		125	PENTOLITE	220		5.5	80				Hydrophone	220	880	12	1,440	110	110
Minnie Bock	20	TX-Nueces	1994	20	11,339	ARAM 16	8	2	SEG-Y	3	123	DYNAMITE	440	2,640	5 -10	100			Cross-Line	Geophone	220	880	10	960	110	220
Missouri Valley #17 3D	31	WY-Fremont	1995	15	10,225	I/O System 2	3	2	SEG-D		135	VIBROSEIS	220	2,640			4	10	Brick (Double)	Geophone	220	1,320	10	720	110	110
Moca	20	TX-Duval, TX-Webb	1994	25	25,255	I/O System 2	8	2	SEG-D	6	135	VIBROSEIS	165	1,485			4	14	Brick (Double)	Geophone	165	990	6	918	83	83
Moonshine		LA-St. James	2005	60	14,199	OPSEIS/Eagle	8	2	SEG-D	3	206	DYNAMITE	311	1,400	6	80			Diagonal	Geophone	220	1,100	10	1,200	110	110
Morganza Wideline #2 3D	70	LA-Pointe Coupee	1982	24		SGR	6	2			200	DYNAMITE	440		5,10,20	97			In-Line	Geophone	220					
Mother Lode #38 3D	36	TX-Midland	1993	18	11,708		3	2				VIBROSEIS	220	1,760			4	6	Cross-Line	Geophone	220	1,320	6	576	110	110
Mountain Creek 3D	3	TX-Coke, TX-Nolan	1993				3	2	SEG-D	9	120	VIBROSEIS	110	1,760			4	10	Cross-Line	Geophone	220	1,320	6	480	110	55
Moxa #45 3D	37	WY-Lincoln, WY-Sweetwater	1993	15	13,675	I/O System 2	4	2	SEG-D	15	135	VIBROSEIS	220	2,640			5	12	Cross-Line	Geophone	220	1,320	6	720	110	110
Muleshoe 3D	39	TX-Stephens	1994	16	6,533	I/O System 2	3	2	SEG-D			VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	990	8	512	83	83

Acquisition Field Parameters

02/01/2012 01:14 PM

11

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters								
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size	
Mustang Island Expansion		TX-Mustang Island (Fed.	1997	60	10,094	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800						Cross-Line	Dual	50	640	2	960	25	40
Mustang Island Phase IV	448	TX-North Padre Island (S	1997	60	7,018	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800						Cross-Line	Dual	50	640	2	514	25	40
Mustang Island Phase VI	286	TX-Mustang Island (State	1997	60	7,018	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800						Cross-Line	Dual	50	640	2	514	25	40
N McAllen Ranch	22	TX-Hidalgo	1988	45	26,644	Sercel 348	8	4	SEG-B		90	VIBROSEIS	150	1,200			6	6	Cross-Line	Geophone	150	1,200	4	708	75	75	
N Phil Powers	10	TX-Refugio	1995	50	14,247	I/O System 2	6	2	SEG-D		207	PENTOLITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	640	110	110	
N Vidauri/Sharps Lake	11	TX-Goliad, TX-Refugio	1995	36			6	2				DYNAMITE	220	1,980					Brick (Triple)		220	660			110	110	
N. Anschutz 3D #108	9	UT-Summit	1982	12	10,780	SGR	6	2		18	200	DYNAMITE	250		80	120			Diagonal	Geophone	150		16	384	75	125	
N. Chilton 3D	9	TX-Dawson, TX-Gaines																									
N. Freshwater Bayou #1 3D	17	LA-Vermilion	1982	24		SGR	6	2				DYNAMITE	440	2,400								440	2,400				
NE Ackerly #34 3D	21	TX-Borden, TX-Dawson	1992	10	9,550	MDS 18	3	2	SEG-D	0	125	VIBROSEIS	220	2,640			4	8	Cross-Line	Geophone	220	1,320	6	480	110	110	
NE Lake Washington	17	LA-Plaquemines	1991	120	33,596	SGR	8	2	SEG-Y	8	200	DYNAMITE	330	2,640	5/10	100			Cross-Line	Geophone	330	2,640	10	720	165	165	
NE Provident City	15	TX-Colorado	1997	36			8	2				DYNAMITE	440	1,540	10	80			Brick	Geophone	220	1,320	8	1,008	110	220	
NW Oberlin 3D	123	LA-Allen	2006	66	20,759	I/O System 3	8	2	SEG-Y		207	PENTOLITE	220	1,980	5.5	80	3	10	Brick (Triple)	Geophone	220	1,320	14	1,638	110	110	
NW Sable 3D	6	TX-Yoakum	1995	20	16,957	MDS 18	3	2	SEG-D	3	125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	9	648	110	110	
Nameless #47 3D	4	ND-Mc Kenzie	1995	24	15,020	DFS V	4	2	SEG-B	18	128	DYNAMITE	220	1,320	10	60			Brick (Double)	Geophone	220	1,320	9	432	110	110	
Narsico	31	TX-Hidalgo, TX-Willacy	1998	70	19,387	RAPS-2000	6	2	SEG-D			VIBROSEIS	220	1,320			5	7	Cross-Line	Geophone	220	1,100	10	1,672	110	110	
Nautilus 3D	149	LA-Eugene Island - South	1990	40	19,000		7	4				AIRGUN	225						In-Line	Hydrophone	50						
Nederland 3D	149	TX-Jefferson, TX-Orange	2001	37	15,868	I/O System 3	8	2			207	DYNAMITE	311	1,555	2.5	60		8	Diagonal	Geophone	220	1,320	12	1,512	110	110	
Needles #107 3D	9	UT-Summit, WY-Uinta	1983	20	11,860	SGR	5	2		18	200	DYNAMITE	1,600		80-100	100-160				Geophone	165	400	16	480			
New Ace	42	TX-Liberty, TX-Polk, TX-	2001	44	22,518	I/O System 2	6	2				DYNAMITE	220	1,980	5.5	95			Brick (Triple)	Geophone	220	1,320	8	1,600	110	110	
New Ropes 3D	11	TX-Hockley	1993	16	8,910	MDS 18	3	2	SEG-D	3	125	VIBROSEIS	220	1,760			4	6	Cross-Line	Geophone	220	1,430	8	512	110	110	
Newcastle #81 3D	14	OK-Mc Clain	1996	42	9,951	I/O System 2	5	2	SEG-D		135	VIBROSEIS	220	1,320			4	12	Brick (Single)	Geophone	220	660	12	1,008	110	110	
Newcastle 3D	17	WY-Weston	1997	30	9,339	I/O System 2	3	2	SEG-D		207	VIBROSEIS	369	516			4	8	Diagonal	Geophone	165	990	10	970	83	83	
Newton-Reed	161	TX-Newton	2005	80	22,050	I/O System 3	8	2	SEG-Y		207	DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	14	2,548	110	110	
North Carrington	1	TX-Bosque	2007	18	7,920	VIBRA TECH	2	1	SEG-Y			AWD	110						In-Line	Geophone	220	440	9	81	55	220	
North Emerald 3D	10	TX-Yoakum	1997	24	17,024	MDS 18	3	2	SEG-D	0	125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,760	9	792	110	110	
North Fisher #73 3D	11	TX-Tom Green	1993	20	6,830	ARAM 16	3	2	SEG-Y			VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	110	880	10	960	55	110	
North Gillis 3D	70	LA-Allen, LA-Beauregard,	1997	42	14,554	I/O System 3	8	2	SEG-D		207	DYNAMITE	220	1,760	5.5	100			Brick (Double)	Geophone	220	1,320	12	1,344	110	110	
North Gladiola #09 3D	3	NM-Lea	1993	8	10,824	DFS V	3	2	SEG-B		128	VIBROSEIS	220	1,760			4	10	Cross-Line	Geophone	220	1,320	6	240	110	110	
North Hankamer 3D	63	TX-Newton	1998	35	15,450	I/O System 2	8	2	SEG-D		207	DYNAMITE	220	1,760	11	120			Cross-Line	Geophone	220	1,320	10	1,280	110	110	
North Padre Phase I 3D	533	TX-North Padre Island -	1998	60	6,174	Syntrak	11	2	SEG-D	3	218	AIRGUN	31	80					In-Line	Hydrophone	25	80	6	720	13	40	
North Padre Phase II 3D	522	TX-North Padre Island -	1998	60	7,034	Syntrak	8	2	SEG-D	3	218	AIRGUN	40	800					Cross-Line	Dual	50	640	2	514	25	20	
North Red Oak 3D	21	OK-Haskell, OK-Latimer,	2000	30	23,547	I/O System 1	3	4		3	207	VIBROSEIS	110	2,200	25	100	6	8	Cross-Line	Geophone	110	1,320	12	2,448	55	55	
Northeast Altair	119	TX-Colorado	2009	60	20,767	I/O System 3	8	2	SEG-Y	3	207	PENTOLITE	311	1,400	5.5	80			Diagonal	Geophone	220	1,100	12	2,160	110	110	
Northeast Thompsonville 3D	37	TX-Jim Hogg	1995	25	14,484	I/O System 2	6	2	SEG-D	6	136	VIBROSEIS	165	1,650			4	8	Cross-Line	Geophone	165	1,320	6	996	83	83	
Northern Hidalgo																											
Northern Hidalgo 2003 Merge																											
Northern Matagorda Phase II	530	TX-Matagorda Island (Sta	1996	60	7,018	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800					Cross-Line	Dual	50	640	2	514	25	40	
Northwest Hope	18	TX-De Witt, TX-Lavaca	1998	28	13,303							DYNAMITE	220	1,760	5.5	100			Brick	Geophone	220	1,320	8	896	110	110	
Northwest Martin 3D	52	TX-Dawson, TX-Martin	1995	24	11,708	MDS 18	3	2	SEG-D	8	125	VIBROSEIS	220	1,760			4	6	Cross-Line	Geophone	220	1,320	6	576	110	110	
Northwest Orange 3D	18	TX-Orange	1995	22	25,845	OPSEIS/Eagle	8	2	SEG-Y	3	206	VIBROSEIS	220	1,760	10	100	4	20	Brick (Double)	Geophone	220	1,760	6	696	110	110	
O'Brien Phase II	53	TX-Bee, TX-Goliad	1997	36	16,072	ARAM 24	8	2	SEG-Y	3	123	DYNAMITE	311	933	5.5	60			Diagonal	Geophone	220	1,100	6	864	110	110	
OBrien North	61	TX-Bee	2009	74	15,091	ARAM 24	6	2	SEG-Y	3	137	VIBROSEIS	369	590			3	6	Diagonal	Geophone	165	825	14	2,380	83	83	

Acquisition Field Parameters

02/01/2012 01:14 PM
12

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
OBrien South	41	TX-Bee	2008	74	15,091	ARAM 24	6	2	SEG-Y	3	137	VIBROSEIS	369	590			3	6	Diagonal	Geophone	165	825	14	2,380	83	83
OCS-310	226	LA-Vermilion, LA-South M	1990	60	13,311	Dfs V	8	2	SEG-B	8	90	AIRGUN	220	440					In-Line	Hydrophone	220	2,640	2	240	110	220
Odella 3D	110	OK-Custer, OK-Dewey	1998	40	14,074	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	8	960	110	110
Ohio 2D Line E-W-1	86	OH-Harrison	2011	90	19,800	OYO GSR	5	1	SEG-D	3	410	VIBROSEIS	220				4	8	In-Line	Geophone	110		1	361		
Ohio 2D Line E-W-2	86	OH-Harrison																								
Ohio 2D Line N-S-1	160	OH-Harrison	2011	90	19,800	OYO GSR	5	1	SEG-D	3	410	VIBROSEIS	220				4	8	In-Line	Geophone	110		1	361		
Ohio 2D Line N-S-2	176	OH-Harrison	2011	90	19,800	OYO GSR	5	1	SEG-D	3	410	VIBROSEIS	220				4	8	In-Line	Geophone	110		1	361		
Old Ocean	68	TX-Brazoria, TX-Matagord	1999	50	50,433	I/O 2000	8	2	SEG-D			DYNAMITE	220	1,980	2/5.5	60			Brick (Triple)	Geophone	220	1,760	8	1,824	110	110
Orange County 3D	41	TX-Orange	1994	22	17,833	SGR	8	2	SEG-Y		200	DYNAMITE	440	2,640	0.3 - 10	75 -100			Cross-Line	Geophone	220	2,200	8	1,136	110	220
Orion #59 3D	23	CA-Colusa, CA-Sutter	1995	20	10,168	Vision	6	2	SEG-D		206	DYNAMITE	220	1,760	3	20			Brick	Geophone	220	1,320	8	640	110	110
Oso Verdadero 3D		TX-Zapata	1996	20	10,166	Vision	5	2	SEG-D	8	206	VIBROSEIS	165	990			4	10	Cross-Line	Geophone	165	1,320	4	480	83	82
Palacios 3D	8	TX-Matagorda																								
Palmetto Point 3D	50	MS-Adams, MS-Wilkinson	2001	72	16,080	I/O System 2	10	2	SEG-D		207	PENTOLITE	463	834	5.5	80			Diagonal	Geophone	220	1,320	8	1,152	110	220
Paloma	17	TX-Wharton																								
Panola Gap Phase IIIA	60	OK-Latimer, OK-Le Flore	2007	60	20,470	I/O System 3	10	2	SEG-Y		207	PENTOLITE	200	2,000	5	50			Brick	Geophone	200	800	12	2,400	100	100
Panola Gap Phase IIIB	83	OK-Latimer, OK-Le Flore	2008	60	20,470	I/O System 3	10	2	SEG-Y		207	DYNAMITE	200	2,000	5.5	50			Quintuple Brick	Geophone	200	800	12	2,520	100	100
Panola Gap Phase V	342	OK-Latimer, OK-Pittsburg	2009	60	20,470	I/O System 3	10	2	SEG-Y		207	PENTOLITE	200	2,000	5.5	50	4	8	Brick	Geophone	200	800	12	2,400	100	100
Panola Gap Phase VII	256	OK-Hughes, OK-Pittsburg	2008	60	20,470	I/O System 3	10	2	SEG-Y		207	PENTOLITE	200	2,000	5.5	50			Brick	Geophone	200	800	12	2,400	100	100
Panola Gap Phases I and II	271	OK-Haskell, OK-Latimer,	2006	60	20,381	I/O System 3	10	2	SEG-Y		207	PENTOLITE	200	2,000	5.5	50			Brick	Geophone	200	800	12	2,400	100	100
Panther 3D	102	OK-Beckham, TX-Wheeler	1998	40	14,115	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	8	960	110	110
Panther BP 3D	32	OK-Haskell, OK-Latimer	2004	80	24,134	Sercel 408	6	2	SEG-D		205	DYNAMITE	200	1,800	5.5	50	4	12	Brick (Triple)	Geophone	200	800	10	3,060	100	100
Papalote	100	TX-Bee, TX-San Patricio	2000	36	16,593	I/O System 3	7	2	SEG-D			DYNAMITE	220	1,760	2.5/5.5	80			Brick	Geophone	220	1,320	8	1,152	110	110
Paradis 3D	62	LA-Lafourche, LA-St. Cha	1999	40	17,786	I/O System 3	10	2	SEG-D	3	207	PENTOLITE	330	990	2.5	120			Brick (Double)	Geophone	165	1,650	10	1,920	83	165
Parkhill 3D	12	TX-Yoakum	1995	15	17,825	I/O System 2	3	2	SEG-D	3	135	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	6	480	110	110
Peach Creek 3D	134	TX-Fort Bend, TX-Wharton	1998	27	18,014	Compuseis	6	2	SEG-D		206	DYNAMITE	220	1,980	5.5	100			Brick (Double)	Geophone	220	1,100	6	972	110	110
Peach Point 3D		TX-Brazoria	1997	31	14,729	I/O System 2	6	2	SEG-D	9	135	DINOSEIS	220	1,760	60	6			Brick	Geophone	220	1,320	8	1,008	110	110
Pearl #74 3D	9	TX-Schleicher	1997	30	18,164	I/O System 2	3	2	SEG-D		207	VIBROSEIS	220	1,320			4	8	Brick (Double)	Geophone	220	1,320	8	640	110	110
Pease River 3D	28	TX-Foard, TX-Hardeman	1994				4					VIBROSEIS	165	1,320												
Perry Ranch 3D	90	TX-Brazoria	2008	158	31,209	I/O System 3	12	2	SEG-Y		207	DYNAMITE	311	1,245	5.5	70			Diagonal	Geophone	220	1,320	14	3,808	110	110
Persian 3D	49	LA-Ship Shoal - South (F	1984	60	12,719		8	3				AIRGUN	98	100					In-Line	Hydrophone	50			240		
Peterman 3D	25	AL-Conecuh, AL-Monroe	1998	34	14,955	I/O System 3	6	2	SEG-D		207	PENTOLITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	1,320	10	1,230	110	110
Pharr North	44	TX-Hidalgo	2000	60	18,001	I/O System 1	6	2	Unknown		207	VIBROSEIS	165	1,320			3	8	Brick (Double)	Geophone	165	1,320	10	2,040	83	83
Pharr North East	54	TX-Hidalgo	2001	48	17,245	I/O System 2	5	2	SEG-Y		207	VIBROSEIS	165	1,320			3	6	Brick (Double)	Geophone	165	1,320	8	1,600	83	83
Picaroon 3D	30	TX-Brazos (Fed. Offshor	1983	48	9,500		8	3				AIRGUN	100	250					In-Line					95		
Pickens 3D	22	TX-Archer	1995	20	8,503	I/O System 1		2	SEG-D	3	180	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	10	660	83	83
Pine 3D	54	LA-South Marsh Island -	1985	30	11,808		7	3				AIRGUN	197	98					In-Line	Hydrophone	50			240		
Pine Hollow 3D	39	OK-Hughes, OK-Pittsburg	2001	70	8,414	I/O System 2	5	2	SEG-D		207	DYNAMITE	255	1,145	5.5	60			Diagonal	Geophone	180	540	14	1,120	90	90
Pinedale West 3D	200	WY-Sublette	2001	77	19,064	I/O System 2	6	2	SEG-D		250	VIBROSEIS	220	1,540			4	10	Brick (Triple)	Geophone	220	1,540	18	2,160	110	110
Pitchfork Ranch #51 3D	30	TX-Dickens	1997	36	7,603	ARAM 16	4	4	Unknown	6	206	DYNAMITE	220	1,100	2.5	60			Brick (Double)	Geophone	220	660	12	720	110	110
Pitzer Ranch 3D																										
Pivo		TX-Colorado, TX-Lavaca																								
Placedo 3D		TX-Victoria	1998	60	17,059	I/O System 1	8	2			207	DYNAMITE	492	1,180					Diagonal	Geophone	220	1,320	8	1,440	110	220
Pledger 3D	37	TX-Brazoria	1998	30	14,319	OPSEIS/Eagle	7	2	SEG-Y		124	PENTOLITE	440	1,760	5.5	100			Brick	Geophone	220	1,320	8	976	110	220

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Point Au Fer	49																									
Popeye 3D	83	OS-Green Canyon	1985	20	12,000		7	3					197							Geophone	250	350			175	100
Porcupine Mt. & Flats #109 3D	39	UT-Summit	1982	12	5,968	SGR	6	2		18	200	DYNAMITE	350	1,700	80	120				Geophone	200	1,400	6	1,224	100	100
Port Hudson 3D	58	LA-East Baton Rouge	1993	43	10,736	SGR	8	2	SEG-Y		200	VIBROSEIS	330	1,485			5		Cross-Line	Geophone	165	1,650	6	774	83	165
Possam Flats 3D	10	TX-Lavaca	1996	21	21,692	Sercel 388	8	2				VIBROSEIS	165	1,155			3	1	Cross-Line	Geophone	165	1,155	18	2,790	83	83
Powderhorn	26	TX-Zavala	2011	99	27,454	ARAM 24	5	2	SEG-Y	3	205	VIBROSEIS	220	1,760			3	8	Cross-Line	Geophone	220	1,320	8	1,328	110	110
Progresso	55	TX-Cameron, TX-Hidalgo		41	18,902	I/O System 1	6	2	SEG-D		136	VIBROSEIS	311	622			3	8	Diagonal	Geophone	220	1,100	14	1,736	110	110
Promesa	27	TX-Maverick	2002	108	15,567	I/O System 2	5	2	SEG-D		207	DYNAMITE	440	1,980	5.5	90			Brick (Double)	Geophone	220	880	10	1,620	110	220
Providence	25	TX-Wharton	1999	45	18,248	I/O System 2	7	2	SEG-D		125	DYNAMITE	220	2,420	10	70			Brick	Geophone	220	1,320	8	1,056	110	110
Provident City	56	TX-Colorado	1995	24	15,347	I/O System 2	8	2	SEG-D		200	PENTOLITE	330	1,320	5.5	80			Brick	Geophone	165	990	12	1,920	83	165
Quinton 3D	55	OK-Haskell, OK-Pittsburg	2000	40	14,400	I/O System 3	6	2	Unknown		200	AIRGUN	165	330					In-Line	Hydrophone	165	1,650	2	720	83	165
Rabbit Island 04 3D	140	LA-Iberia, LA-St. Mary	2004	180	29,654	I/O System 3	10	2	SEG-D	8	200	AIRGUN	110	165					In-Line	Hydrophone	220	2,640	2	480	110	83
Rabbit Island 94 3D	107	LA-Iberia	1993	120	52,605	Sercel 368-E	8	2	SEG-D	8	178	DYNAMITE	165	1,980	11	100			Brick (Double)	Geophone	165	1,980	6	768	83	83
Raceland 3D	60	LA-Lafourche	1996	32	12,043	I/O System 2	8	2	SEG-D			VIBROSEIS	185	1,143			4	8	Diagonal	Geophone	165	1,320	8	1,792	83	83
Rachal Brooks 3D	186	TX-Brooks	2009	56	19,140	ARAM 24	8	2	SEG-Y	3	205															
Rainbow Ranch # 54 3D	7	WY-Campbell	1995									AIRGUN	300	200					In-Line	Hydrophone	50			360		
Rainier 3D	367	OS-Garden Banks	1990	30	12,000	Syntrak	10	4		8	90	VIBROSEIS	220	1,760			5	12	Brick (Triple)	Geophone	220	1,760	6	960	110	110
Randado	125	TX-Jim Hogg	1996	30	18,270	Vision	6	2	SEG-D	8	206	EXPLOSIVE	220	1,760	3	25			Brick (Double)	Geophone	220	880	10	800	110	110
Randall Island 3D	16	CA-Sacramento	2001	25	9,740	OPSEIS/Eagle	6	2	SEG-D	3	206	VIBROSEIS	220	1,320			5	8	Zig-Zag	Geophone	220	1,320	10	960	110	110
Raven 3D	11	TX-Lipscomb, TX-Ochiltre	1998	40	12,301	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,760			4	8	Brick (Triple)	Geophone	220	1,320	8	1,008	110	110
Raymondville 3D		TX-Kenedy, TX-Willacy	1999	31	14,729	I/O System 2	6	2	SEG-D		136	DYNAMITE	200	1,800	8	50	4	8	Brick (Triple)	Geophone	200	800	12	1,248	100	100
Red Bluff 3D	34	OK-Haskell, OK-Le Flore	2003	35	20,984	I/O System 2	6	2	SEG-D		187	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	10	900	83	83
Red River 3D	28	OK-Jackson, TX-Hardeman	1996	26	9,873	Vision	3	2	SEG-D	9	206	MINIHOLE	440	3,300	0.33	5			Brick (Single)	Geophone	220	1,320	8	520	110	220
Red River Arsenal Depot 3D	14	TX-Bowie	1994	8	15,037	Applied 5586	3	2	SEG-Y	8	124	DYNAMITE	160	1,920	7.5	60			Brick (Double)	Geophone	160	1,280	8	672	80	80
Reel Field #25 3D	5	WY-Campbell	1996	40	15,980	DFS V	4	2	SEG-B	27	128	DYNAMITE	297	1,782	22	80			Diagonal	Geophone	210	1,260	8	1,152	105	105
Retherford 3D	48	OK-Latimer, OK-Pittsburg	1996	24	15,838	I/O System 2	6	2	SEG-D		136	PENTOLITE	233	1,750	5.5	120			Diagonal	Geophone	165	1,485	10	2,100	83	83
Rhino	46	TX-Tyler	2005	35	18,773	Sercel 408	8	2	SEG-D	3	206	VIBROSEIS	165	1,650			4	8	Cross-Line	Geophone	165	1,320			83	83
Rhodes Ranch 3D		TX-Live Oak, TX-McMullen				I/O System 1		2	SEG-D	6	135	VIBROSEIS	165	1,650	6	100	3	8	Brick (Double)	Geophone	165	1,650	8	1,152	83	83
Ricardo 3D	33	TX-Kleberg	1999	28	13,518	I/O System 2	6	2	SEG-D	3	135	VIBROSEIS	165	1,320			4		Brick	Geophone	165	1,320	10	1,650	83	83
Richard King	21	TX-Nueces	2000	50	16,855	RAPS-2000	14	2	SEG-Y		207	VIBROSEIS	233	700			3	8	Diagonal	Geophone	165	990	14	2,240	83	83
Rio Bravo	18	TX-Webb	2009	93	14,835	ARAM 24	8	2	SEG-Y	3	205	EXPLOSIVE	220	1,320	5 / 20	50 / 100			Cross-Line	Geophone	220	1,320	6	648	110	110
Rio Vista 3D	40	CA-Sacramento	1990	45	23,577	Sercel 368-E	6	2	SEG-D	12	177	EXPLOSIVE	220	1,760	3	50			Brick (Double)	Geophone	220	1,320	8	1,600	110	110
River Island 3D	53	CA-Sacramento, CA-San Jo	1996	80	44,971	I/O System 3	6	2	Unknown			DYNAMITE	200	1,600	10	60			Brick (Double)	Geophone	200	1,100	10	1,240	100	100
Riverton Dome #37 3D	22	WY-Fremont	1998	38	14,673	I/O System 2	5	2	SEG-D		135	EXPLOSIVE	246	1,771	5.5	100	3	12	Diagonal	Geophone	220	1,540	8	1,600	110	110
Robstown 3D	109	TX-Nueces	2003	44	22,740	Sercel 388	8	2	SEG-D		177	DYNAMITE	220	1,980	5	90			Brick (Triple)	Geophone	220	1,100	12	1,656	110	110
Rock Island	48	TX-Colorado	2005	46	16,452	OPSEIS	6	2	SEG-Y		206	VIBROSEIS	100				3	8		Geophone	100	660	8	768	100	100
Rodriguez Shallow 3D	35	TX-La Salle, TX-Webb	1982		11,400	Geocor	6	4	Geocor I\			VIBROSEIS	220	880					8 Cross-Line	Geophone	220	1,760		192	110	110
Roleta #39 3D	18	TX-Zapata	1998			Sercel 368-E	6	2		8	88	VIBROSEIS	220	1,320			4	10	Cross-Line		220	1,320	16	1,920	110	110
Roleta UPR	16	TX-Zapata					6	2		3	206	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	10	600	110	110
Roscoe 3D	41	TX-Nolan	1993	25	9,256	I/O System 2	3	2	SEG-D		136															
Rosenberg 3D	7	TX-Fort Bend																								
Rosharon 3D	37	TX-Brazoria, TX-Fort Ben	1999	40	16,334	I/O System 3	6	2	SEG-D	3	135	PENTOLITE	440	1,980	5.5	85			Brick (Triple)	Geophone	220	880	10	1,440	110	220
Rough Draw #43 3D	22	TX-Fisher	1996			Bison 9120		2		8	120	DYNAMITE	220		1					Geophone	220			528	110	110

Acquisition Field Parameters

02/01/2012 01:14 PM
14

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Rowan 3D	69	TX-Brazoria, TX-Galvesto	2000	48	19,200	I/O System 3	8	2			207	DYNAMITE	311	1,555	2.5	60		8	Diagonal	Geophone	220	1,320	12	1,920	110	110
Runge	15	TX-De Witt	1996	38	11,436	Vision	7	2	SEG-D	8	206	VIBROSEIS	220	1,320			5	8	Brick (Triple)	Geophone	220	1,320	12	912	110	110
S McAllen Ranch	46	TX-Hidalgo	1991	30	18,556	Sercel 348	6	4				VIBROSEIS	300	2,400			9	2	Cross-Line	Geophone	150	1,200	4	960	75	150
S.E. Ranch 3D	23	TX-Haskell	1994									VIBROSEIS	165	1,320					Cross-Line	Geophone	165	825			55	55
SE Avery Island #53 3D	24	LA-Iberia	1995	29	16,137	OPSEIS/Eagle	8	2	SEG-Y	3	206	DYNAMITE	220	1,980	11	100			Brick (Triple)	Geophone	220	1,760	8	1,064	110	110
SL-340	148	LA-Vermilion, LA-South M	1995	72	26,401	Sercel 368-E	8	2	SEG-D	8	178	AIRGUN	220	440	5.5	100			In-Line	Hydrophone	220	2,640	2	480	110	220
SP-62 3D	117	LA-Main Pass - South and	1992	34	22,000		10	4				AIRGUN	300									50				
SP-65 3D	77	LA-Main Pass - South and	1994	24			7	4																		
SP-70 3D	34	LA-South Pass - South (F	1990	45	14,764		10	2				AIRGUN	82	98					In-Line	Hydrophone	82			180		
STS 3D	64	TX-La Salle, TX-McMullen	1998	39	17,718	I/O System 2	7	2	SEG-D		136	VIBROSEIS	246	1,180			4	8	Diagonal	Geophone	220	1,320	6	948	110	110
Sales Ranch #32 3D	29	TX-Martin	1993	18	11,708	MDS 18	3	2	SEG-D	12	125	VIBROSEIS	220	1,760			4	6	Cross-Line	Geophone	220	1,320	6	576	110	110
Saline Bayou 3D	45	LA-Avoynes, LA-Catahou	2000	60	31,625	I/O System 3	6	2	SEG-D		207	PENTOLITE	220	1,760	5.5	80			Brick	Geophone	220	880	13	1,846	110	110
San Emidio #20 3D	36	CA-Kern	1998	30	12,600	Unknown	5	2	SEG-D	12	107	VIBROSEIS	880	2,640			7	6	Cross-Line	Geophone	110	110	32	768	55	55
San Ygnacio 3D		TX-Zapata	1996	30	10,586	Vision	5	2	SEG-D	8	206	VIBROSEIS	165	990			4	10	Brick (Triple)	Geophone	165	1,320	6	720	83	83
Sand Draw #31 3D	14	WY-Fremont	1994	16	7,886	I/O System 2	4	2	SEG-D	3	135	DYNAMITE	220	1,980	20	80			Brick (Double)	Geophone	165	1,320	8	576	83	110
Santa Anna	81	TX-Hidalgo	2000	60	17,059	I/O System 2	6	2	SEG-D		136	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	220	1,320	10	1,440	110	110
Santa Fe	90	TX-Brooks, TX-Hidalgo	1997	34	12,433	I/O System 2	6	2	SEG-D		135	VIBROSEIS	200	1,400			4	6	Brick	Geophone	200	1,200	8	960	100	100
Santa Rita	14	TX-Webb	1994	24	9,955	Vision	4	2	SEG-D		206	VIBROSEIS	165	825			4	10	Cross-Line	Geophone	165	1,320	4	480	83	83
Santa Rosa	57	TX-Willacy	2009	99	20,131	ARAM 16	7	2	SEG-Y		205	VIBROSEIS	184	1,328			4	4	Diagonal	Geophone	165	1,320	18	3,564	83	83
Sawyer 3D	5	TX-Yoakum																								
Saxet 3D	65	TX-Nueces, TX-San Patric	1998	28	15,447	OPSEIS	8	2	SEG-Y	3	206	EXPLOSIVE	220	1,980	12	100			Brick (Double)	Geophone	220	1,760	8	1,008	110	110
Saxet Extension-East	4	TX-Nueces	1996																							
Schaeffer Ranch #60 3D	7	TX-Jim Wells	1995	10	7,558	Bison 9120	2	1	SEG 2	4	180	AWD	110	1,320					Cross-Line	Geophone	165	1,320	6	240	83	55
Schmidt	36	TX-Hidalgo	1989	45	18,015	Sercel 348	6					VIBROSEIS	150	1,200			6	4	Cross-Line	Geophone	150	1,200	4	960	75	75
Schwab	30	TX-Liberty, TX-Polk	2000	70	34,432	I/O System 3	6	2	SEG-Y		207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	1,320	18	2,682	110	110
Seventy Four Ranch	46	TX-Atascosa, TX-McMullen	2007	48	14,400	ARAM 24	6	2	SEG-D	3	135	VIBROSEIS	233	1,167			3	8	Diagonal	Geophone	165	990	12	1,920	83	83
Shackelford #11 3D	22	TX-Midland	1993	13	12,277	I/O System 1	4	2	SEG-D	8	120	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	4	440	110	110
Sheridan	60	TX-Colorado, TX-Lavaca	1995	24	15,347	I/O System 2	8	2	SEG-D		125	DYNAMITE	220	2,420	15	70			Quintuple Brick	Geophone	220	1,320	8	1,056	110	110
Shinny Lake		TX-Hardin, TX-Jasper	1998	32	26,590	I/O System 2	8	2	SEG-D		207	MINIHOLE	311	1,245	5 x 1	10			Diagonal	Geophone	220	1,320	9	1,008	110	110
Sholem Alchem 3D	40	OK-Stephens	1981	160								VIBROSEIS														
Sikes 3D	50	LA-Winn	1996	25	14,795	OPSEIS/Eagle	6	2	SEG-Y	3	206	DYNAMITE	330	1,650	11	100			Brick (Double)	Geophone	165	1,650	6	1,020	83	165
Six Mile Basin 3D	29	WY-Weston	1998	20	8,183	I/O System 2	3	2	SEG-D		136	VIBROSEIS	369	516			4	8	Diagonal	Geophone	165	990	10	800	83	83
Sledge 3D	171	LA-Vermilion - South (Fe	1991	18	20,400	Syntrak	10	4		8	250	AIRGUN	300									50		2	216	
Slide 3D	11	TX-Lynn	1994	18	15,351	I/O System 1	3	2	SEG-D	3	120	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	9	576	110	110
Slide East Ext. 3D	6	TX-Lynn	1994	32	8,712	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	9	576	110	110
Slide West Ext 3D	8	TX-Lynn	1994	20	10,225	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	9	648	110	110
Smithtown 3D	32	MS-Jones, MS-Wayne	1999	30	15,773	Sercel 388	6	2	SEG-D		200	PENTOLITE	440	1,760	2.5/5.5	20/120			Brick (Double)	Geophone	440	2,200	8	960	110	220
Solitude Point 3D	143	LA-East Baton Rouge	1996	17	15,029	SGR	8	2	SEG-Y	8	200	DYNAMITE	220	2,420	5.5	140			Cross-Line	Geophone	110	1,980	6	2,112	55	110
South Bear Head	61	LA-Beauregard, LA-Calcas										DYNAMITE	246	1,574	5.5	80				Geophone	220	1,320	18	2,880		
South Bralley 3D	10	TX-Yoakum	1994	19	20,393	MDS 18	3	2	SEG-D	0	125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,760	8	704	110	110
South Devillier	22	TX-Chambers	1994	23	19,416	I/O System 2	8	2	SEG-D		207	DYNAMITE	220	1,980	2.5	20			Brick (Triple)	Geophone	220	1,320	10	840	110	110
South Diamond Tail #65 3D	16	NM-Lea	1995	64	22,851	I/O System 1	4	2	SEG-D	0	120	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	8	768	110	110
South Dollarhide #90 3D	19	TX-Winkler	1995	30	27,763	I/O System 2	6	2	SEG-D		188	PENTOLITE	220	1,760	11	100			Brick (Double)	Geophone	220	1,320	8	960	110	110

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
South Dry Hollow	9	TX-De Witt	1994	20	13,446	Applied 5586	6	2	SEG-Y	8	126	DYNAMITE	330	1,650	5.5	100			Brick (Double)	Geophone	165	1,320	6	480	83	165
South Fisher #72 3D	6	TX-Tom Green	1993	20	6,831	ARAM 24	3	2	SEG-Y			VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	110	880	10	960	55	110
South Gibbs #55 3D	4	WY-Campbell	1996			DFS V	4	2				DYNAMITE	220	2,200					Brick		220	880			110	110
South Jennings Egan	37	LA-Acadia	1995	25	9,295	ARAM 16	8	2	Unknown			DYNAMITE	110	1,320	5.5	100			Brick (Double)	Geophone	110	1,320	10	1,200	55	55
South Orange Grove	43	TX-Jim Wells	1999	46	16,175	I/O System 2	6	2	SEG-D		207	VIBROSEIS	220	1,320			3	8	Brick (Double)	Geophone	220	1,100	8	1,120	110	110
South Phil Powers	8	TX-Refugio	1996	25	14,174	I/O System 2	6	2	SEG-D		207	PENTOLITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	640	110	110
South Sand Draw 3D	8	WY-Fremont	1983		16,806	Unknown			Unknown			DYNAMITE	90	1,760					Cross-Line	Geophone	90	1,760	8	1,024	45	45
South Thornwell #5 3D	22	LA-Jefferson Davis	1979	7		SGR	6	2		12		DYNAMITE	300	3,600		80				Geophone	300					
South Timbalier 3D	36	LA-South Timbalier (Stat	1996	60	60,413	Teleseis	8	3	SEG-D	8	133	AIRGUN	110	330					In-Line	Hydrophone	330	1,650	2	368	55	165
South Ulrich 3D	20	TX-Harris	1996	36	16,220	OPSEIS/Eagle	8	2	SEG-Y	3	206	DYNAMITE	220	1,320	10	120			Brick (Double)	Geophone	220	1,320	6	864	110	110
Southern Matagorda Phase VII	643	TX-Mustang Island (State	1998	60	7,018	Syntrak	8	2	SEG-D	3	218	AIRGUN	80	800					Cross-Line	Dual	50	640	2	514	25	40
Southwest Anahuac	14	TX-Chambers	1997	30	31,461	ARAM 24	8	2	SEG-Y		123	DYNAMITE	220	1,980	10	100			Brick (Single)	Geophone	220	1,980	8	1,075	110	110
Southwest Hundido	29	TX-Zapata	1998	60	15,252	I/O System 2	5	2	SEG-D	6	136	VIBROSEIS	233	1,866			3	8	Zig-Zag	Geophone	165	1,320	12	1,908	83	83
Southwest Pheasant	10	TX-Matagorda	1988	24	20,674	SGR	8	4	SEG-Y			DYNAMITE	660	880	5	100			Cross-Line	Geophone	220	1,320	4	376	110	330
Southwest Victoria 3D	75	TX-Victoria	2008	48	16,220	ARAM 24	8	2	SEG-D	3	205	DYNAMITE	311	1,400	5.5	100			Diagonal	Geophone	220	660	12	1,728	110	110
Southwest Victoria Merge																										
Speaks Lareel	20	TX-Lavaca																								
St. Gabriel Dome 3D	29	LA-Iberville	2004	46	16,452	I/O System 3	8	2			207	DYNAMITE	311	1,400	5.5	100			Diagonal	Geophone	220	1,100	12	1,656	110	110
St. Joe #85 3D	6	LA-Tensas	1995	40	9,834	I/O System 2	8	2	Unknown			DYNAMITE	220	1,760	10	100			Brick (Double)	Geophone	220	1,320	13	715	110	110
Stackpole Island 3D	19	LA-Calcasieu, LA-Jeffers	2001	34	22,154	I/O System 3	8	2	SEG-Y	3	207	DYNAMITE	311	1,245	2.5	60			Diagonal	Geophone	220	1,320	10	760	110	110
Stamp Dance Creek #08 3D	5	OK-Pottawatomie	1995	21	17,455	I/O System 2	3	2	SEG-D		207	DYNAMITE	220	1,320	1	10			Brick (Double)	Geophone	220	880	14	504	110	110
Starks 3D	80	LA-Beauregard, LA-Calcas	1999	37	17,295	I/O System 3	8	2			207	DYNAMITE	220	1,760	2.5	60			Diagonal	Geophone	264	1,437	10	1,200	110	110
Steam Boat Slough 3D	20	CA-Sacramento	1995	42	22,137	OPSEIS	4	2	SEG-Y		124	DYNAMITE	220	1,760	2	15			Brick (Double)	Geophone	220	1,320	6	600	110	110
Stone Ranch 3D	64		2007	138	24,345	ARAM 24	8	2	SEG-Y	3	123	VIBROSEIS	311	622	2.2	40	4	8	Diagonal	Geophone	220	880	10	2,200	110	110
Stonewall 3D	29	TX-Dawson	1993	10	8,712	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	8	512	110	110
Story #28 3D	7	TX-Yoakum	1995	15	12,267	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	10	Cross-Line	Geophone	220	1,320	10	480	110	110
Strain Block #14 3D	38	TX-Martin	1993	18	11,175	MDS 18	3	2	SEG-D	12	125	VIBROSEIS	220	1,760			4	6	Cross-Line	Geophone	220	1,320	6	576	110	110
Strengthford I 3D	76	MS-Jones, MS-Wayne	1997	50	23,593	Sercel 388	8	2	SEG-D			PENTOLITE	440	1,760	5	100			Brick (Single)	Geophone	220	2,200	8	1,600	110	220
Strengthford II 3D	148	MS-Jones, MS-Wayne	1998	50	23,593	Sercel 388	8	2	SEG-D			DYNAMITE	440	1,760	5.5	120			Brick (Single)	Geophone	220	2,200	8	1,600	110	220
Stuart 3D	29	OK-Hughes, OK-Pittsburg	2001	70	8,414	I/O System 2	5	2	SEG-D		207	EXPLOSIVE	225	1,145	5.5	60			Diagonal	Geophone	180	540	14	1,120	90	90
Sublette Flats	127	WY-Lincoln	2001	65	17,688	I/O System 2	6	2	SEG-D		188	VIBROSEIS	311	1,245			4	10	Diagonal	Geophone	220	1,320	16	2,080	110	110
Sugarland #29 3D	6	MT-Richland	1995	24	14,500	DFS V	4	2	SEG-B	18	128	DYNAMITE	220	1,760	8	40			Brick (Double)	Geophone	220	880	13	650	110	110
Sulphur Draw 3D	39	TX-Terry	1993	16	8,712	MDS 18	3	2	SEG-D		125	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	8	512	220	220
Sulphur Draw Ext. 3D	11	TX-Terry	1994	18	10,225	I/O System 1	3	2	SEG-D	3	120	VIBROSEIS	220	1,760			4	8	Cross-Line	Geophone	220	1,320	9	648	110	110
Summers Island 3D	91	LA-Lafourche, LA-St. Cha	1994	24	24,108	OPSEIS/Eagle	8	2	SEG-Y	8	180	DYNAMITE	330	1,980	10	60			Brick (Double)	Geophone	330	1,980	8	1,094	165	165
Survey Grande		TX-Starr, TX-Zapata																								
Tallulah 3D	13	LA-Madison	1988	7	9,000	Mark Fiberseis	5	2	SEG-D	9	175	DYNAMITE	330	3,850	10	80/160			Cross-Line	Geophone	110	1,650	6	480	55	165
Tallulah Salt Dome 3D	13	LA-Madison	1988	12			5	2				DYNAMITE	330									110		480		
Tar Heel 3D	60	OK-Blaine, OK-Dewey	1998	40	12,301	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	10	960	110	110
Tartan Riverside 3D	102	TX-Nueces, TX-San Patric	1998	36	12,926	I/O System 2	6	2	SEG-D	3	135	VIBROSEIS	165	1,320			3	8	Brick (Double)	Geophone	1,320	165	8	1,152	83	83
Teas North	18	TX-Garza	1992	45	26,564	I/O System 1	3	2	SEG-D	3	120	VIBROSEIS	440	1,320			4	8	Cross-Line	Geophone	220	1,980	9	972	110	220
Tecumseh 3D	31	LA-West Feliciana, MS-Wi	1996	36	25,888	I/O System 3	8	2	SEG-D	3	135	PENTOLITE	440	1,320	5.5	100			Brick (Single)	Geophone	220	1,320	8	960	110	220
Tensas-Newlight 3D	11	LA-Tensas	1981	12			6	2				DYNAMITE	2,640						In-Line		660					

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters								
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size	
Terrebonne 3D	125	LA-Terrebonne	1994	24	18,375	SGR	8	2	SEG-Y		200	DYNAMITE	220	2,200	5.5	120			Brick (Double)	Geophone	220	1,760	6	960	110	110	
Texas City 3D	27	TX-Galveston	1999	24	16,593	I/O System 3	8	2	SEG-D		207	DYNAMITE	220	2,640	5.5	60	4	8	Brick (Double)	Geophone	220	1,320	8	1,152	110	110	
Texas Offshore Expansion Ph	69	TX-Brazos (State Waters																									
Texas Offshore Expansion Ph	663																										
Texas Offshore Expansion Ph	342	TX-Galveston (Fed. Offsh	2007	80	10,094	Sercel 408	13	2	SEG-D		207	AIRGUN	60	480					Cross-Line	Dual	60	720	2	640	30	30	
Texas Offshore Expansion	549	TX-Mustang Island (Fed.																									
Texas Offshore Expansion				80	10,103	Sercel 408	13	2	SEG-D		207	AIRGUN	60	480					Cross-Line	Dual	60	720	2	640	30	30	
Thompata Ext	15	TX-Jim Hogg	2005	30	12,410	Sercel 408	8	2	Unknown			VIBROSEIS	255	1,018			4	8	Diagonal	Geophone	180	1,260	8	1,024	90	90	
Thompson-Ayers 3D	53	TX-Hardeman	1994	27	10,246	I/O System 1	4	2	SEG-D	9	180	VIBROSEIS	165	1,320			4	8	Cross-Line	Geophone	165	1,320	9	864	83	83	
Thornwell 3D	110	LA-Cameron, LA-Jefferson	1997	33	19,853	I/O System 3	8	2	SEG-D		125	PENTOLITE	187	1,820	5	50			Diagonal	Geophone	176	1,760	6	1,320	88	88	
Tiger Bayou 3D	88	LA-Terrebonne	2001	33	20,390	I/O System 3	8	2	SEG-D	3	207	PENTOLITE	311	1,711	5.5	100			Diagonal	Geophone	220	1,100	8	1,456	110	110	
Tigerland	123	LA-East Baton Rouge	2007	84	26,371	I/O System 3	10	2	SEG-Y		207	VIBROSEIS	232	1,670	2.2/5.5	60/80	4	6	Diagonal	Geophone	220	1,760	12	2,688	110	110	
Timberwolf 3D	1,275	LA-Ship Shoal - South (F	1988	20	12,000	Syntrak	10	4		8	125	AIRGUN	300						In-Line	Hydrophone	50			240	50	200	
Tinsley	50	MS-Yazoo	1995	25	11,002	Sercel 368	6	2	SEG-D		175	DYNAMITE	200	1,600	5/10	90			Brick (Double)	Geophone	200	1,200	8	800	100	100	
Todd Hunter 3D	14	CA-Sacramento	1999	30	24,836	I/O System 2	5	2	SEG-D		136	EXPLOSIVE	220	1,760	3	15			Brick	Geophone	220	880	10	1,080	110	110	
Tom Lyne 3D	30	TX-Live Oak	1994	31	14,322	I/O System 2	6	2	SEG-D	6	207	VIBROSEIS	165	1,485			5	8	Cross-Line	Geophone	165	1,320	6	996	83	83	
Tornado	40	TX-Hidalgo	1998	40	18,879	I/O System 2	5	2	SEG-D		136	VIBROSEIS	208	1,780					8	Diagonal	Geophone	200	1,600	8	1,440	100	100
Townsend 3D	11	NM-Lea											220	1,760													
Trinidad #23 3D	13	TX-Henderson, TX-Navarro	1993	15	18,855	Applied 5586	4	2	SEG-Y	8	124	DYNAMITE	880	2,640	10	100			Cross-Line	Geophone	220	2,640	5	360	110	440	
Troupe West #87 3D	56	TX-Smith	1997	30	14,115	I/O System 2		2	Unknown			DYNAMITE	220	1,760	11	100			Brick (Double)	Geophone	220	1,320	8	960	110	110	
Troupe West 3D	56	TX-Smith	1997	30	14,115	I/O 2000		2	Unknown			DYNAMITE	220	1,760	11	100			Brick (Double)	Geophone	220	1,320	8	960	110	110	
Tunis Creek West 3D	17	TX-Pecos	1994	24	9,730	I/O System 2	4	2	SEG-D		135	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	220	1,320	9	596	110	110	
Turner West 3D	47	TX-Foard, TX-Hardeman	1996	33	10,956	I/O System 2	3	2	SEG-D	3	135	VIBROSEIS	165	1,320			3	4	Cross-Line	Geophone	165	1,320	10	1,080	83	83	
Turner-Pease River 3D	28	TX-Hardeman	1994	16	9,349	Geocor	3	2	Unknown			VIBROSEIS	100	2,000			4	8	Brick (Double)	Geophone	100	1,000	8	1,440	50	50	
Turtle Bayou 3D	47	LA-Terrebonne	1993	40	35,222	Sercel 368-E	8	2	SEG-D	8	200	DYNAMITE	440	2,200	15	140			Brick (Triple)	Geophone	220	2,640	6	864	110	220	
Twix 3D				30		Digiseis	8	2		3	125		200	1,800	5	52				Geophone	200	2,000	6	1,080	100	100	
Union Parish 3D	27	LA-Union	2000	25	12,102	OPSEIS/Eagle	4	2	SEG-Y		206	PENTOLITE	220	1,760	2.5	20			Brick (Double)	Geophone	220	1,320	8	800	110	110	
Vacuum #68 3D	109	NM-Lea	1994	36	11,123	MDS 18	3	2	SEG-D	0	125	VIBROSEIS	220	1,320			4	10	Cross-Line	Geophone	220	1,320	12	864	110	110	
Valentine #7 3D	5	LA-Lafourche	1982	24		SGR	6	2		8	52	AIRGUN								Hydrophone	330				110	110	
Vaquillas Ranch 3D	17	TX-Webb	1995	20	10,166	MDS 16	6	2	SEG-D	8	93	VIBROSEIS	165	990			4	8	Cross-Line	Geophone	165	1,320	4	480	83	83	
Veleno Perdido	73	TX-Zapata	1996	31	14,177	I/O System 2	6	2	SEG-D	3	207	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	990	83	83	
Vermilion 3D	734	LA-East Cameron - South	1989	27	12,000	DFS V	7	3		5	90	AIRGUN	225	200													
Vermilion Bay 3D	109	LA-Iberia, LA-St. Mary,	1996	72	26,323	Sercel 368-E	8	2	SEG-D		178	AIRGUN	110	220					In-Line	Hydrophone	220	2,640	2	480	55	110	
Victoria Yegua Project	5	TX-Victoria	1996																								
Victoria-McFaddin3D	113	TX-Calhoun, TX-Refugio,	2007	66	22,517	ARAM 24	8	2	SEG-Y	3	205	PENTOLITE	246	1,180	5.5	80			Diagonal	Geophone	220	1,320	8	1,600	110	110	
Vidor 3D	28	TX-Orange	1997	30	13,555	I/O System 2	6	2	SEG-D	3	130	DYNAMITE	220	1,760	5	100			Brick (Double)	Geophone	220	880	8	960	110	110	
Vienna 3D	14	TX-Lavaca		14	19,008	I/O System 2	6	2	SEG-D	9	207	DYNAMITE	440	2,640	5/10	100			Brick (Double)	Geophone	220	1,320	8	672	110	220	
Viking N Extn 3D	0	WY-Crook				DFS V	3	2		60	180	DYNAMITE			50	180				Geophone			10	24			
Villareal	10	TX-Zapata	1997	30	13,702	I/O System 2	6	2	SEG-D		136	VIBROSEIS	165	1,320			5	8	Brick (Double)	Geophone	165	1,320	6	960	83	83	
Ville Platte #64 3D	45	LA-Evangeline	1998	40	15,451	I/O System 3	6	2	SEG-Y	3		DYNAMITE	220	1,760	9	100			Brick (Double)	Geophone	220	1,320	10	1,280	110	110	
WWC	78	TX-Webb	1996	30	10,586	Vision	6	2	SEG-D	7	206	VIBROSEIS	165	990			5	8	Brick (Triple)	Geophone	165	1,320	6	720	83	83	
Wadsworth #48 3D	47	TX-Matagorda	1993	31	21,622	OPSEIS/Eagle	8	2	SEG-Y	8	180	DYNAMITE	220	1,980	20	100			Cross-Line	Geophone	220	1,980	6	1,140	110	110	
Wallaby 3D	8	AR-Union	2005	36	13,025	OPSEIS/Eagle	6	2	SEG-Y	3	206	DYNAMITE	220	1,760	2.5	20			Brick (Double)	Geophone	220	1,320	12	576	110	110	

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Wallace Ranch #19 3D	39	TX-Kent, TX-Stonewall	1994	15	7,626	MDS 18	3	2	SEG-D	8	125	VIBROSEIS	165	1,320			5	8	Cross-Line	Geophone	165	990	6	480	83	83
Walnut Grove 3D	25	CA-Sacramento	2001	25	9,740	OPSEIS/Eagle	6	2	SEG-D	3	200	EXPLOSIVE	220	1,760	3	25			Brick (Double)	Geophone	220	880	10	800	110	110
Warden	14	TX-Victoria	1997	26	10,958	I/O System 2	6	2	SEG-D		207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	660	10	960	110	110
Washakie 3D	107	WY-Carbon, WY-Sweetwater	1999	27	12,855	I/O System 2	5	2	SEG-D	3	135	VIBROSEIS	220	1,760	15	60	4	8	Brick (Double)	Geophone	220	1,320	8	864	110	110
Washington County 3D	85	AL-Washington	2006	40	20,911	I/O System 3	8	2	SEG-Y	3	207	PENTOLITE	492	1,770	5.5	100			Diagonal	Geophone	220	1,760	8	1,440	110	220
Waynesboro N 3D	82	MS-Jones, MS-Wayne	1999	50	23,593	I/O System 2	8	2	SEG-D	3	135	PENTOLITE	440	1,760	5.5	100			Brick (Single)	Geophone	220	2,200	8	1,600	110	220
Waynesboro NE 3D	44	MS-Wayne	2005	54	20,535	I/O System 3	10	2	SEG-Y		207	PENTOLITE	440	1,760	5.5	100			Brick (Single)	Geophone	220	2,200	12	1,728	110	220
Waynesboro South 3D	202	MS-Jones, MS-Wayne	1996	50	23,593	Sercel 388	8	2	SEG-D			PENTOLITE	440	1,760	5.5	100			Brick (Single)	Geophone	220	2,200	8	1,600	110	220
Weatherman 3D	5	TX-Hardeman	1993	16	11,708	I/O System 1	3	2	SEG-D	3	180	VIBROSEIS	220	1,320			4	8	Cross-Line	Geophone	110	1,320	8	768	55	55
Wedge	39	LA-Jefferson Davis	2001	46	17,363	I/O System 3	8	2	SEG-Y	3	207	DYNAMITE	311	1,245	5.5	80	4	8	Diagonal	Geophone	220	1,320	10	1,470	110	110
Welder 3D	17	TX-Victoria	1995	18	16,648	I/O System 2	6	2	Unknown		207	DYNAMITE	220	2,640	2.2	20			Brick (Double)	Geophone	220	1,320	6	888	110	110
Welder-Sinton 3D	36	TX-San Patricio	1996	26	31,272	I/O System 2	6	2	SEG-D		207	VIBROSEIS	220	1,760			4	10	Cross-Line	Geophone	220	1,320	6	852	110	110
Weslaco	24	TX-Hidalgo	1996	36	15,591	I/O System 2	6	2	SEG-D		136	VIBROSEIS	220	1,760			4	8	Brick (Double)	Geophone	220	1,760	10	1,180	110	110
West Bay 3D	49	TX-Brazoria, TX-Galvesto	1999	55	29,619	I/O System 3	10	2	SEG-Y		200	DYNAMITE	165	2,640	5.5	80			Brick (Double)	Geophone	165	1,320	10	1,760	83	83
West Beaumont 3D	20	TX-Jefferson	1998	24	16,619	OPSEIS/Eagle	8	2	SEG-Y		124	DYNAMITE	165	2,640	10	100			Brick (Double)	Geophone	165	1,320	8	1,536	83	83
West Cameron Transition Zone	209	LA-Cameron	1997	36	27,620	Polyseis	10	2	SEG-D			DYNAMITE	440	3,520	11	100-200			Brick (Double)	Hydrophone	440	1,760	10	1,200	220	220
West Cameron Transition Zone																										
West Caney Creek		TX-Wharton	2001	40	24,340	I/O System 2	8	2	SEG-Y		207	DYNAMITE	220	1,980	5.5	100			Brick (Triple)	Geophone	220	880	12	1,296	110	110
West Cordele 3D	12	TX-Jackson	2004	30	27,467	I/O System 2	7	2	SEG-D		207	DYNAMITE	311	1,400	5	60			Diagonal	Geophone	220	1,760	10	955	110	110
West Cote Blanche Bay 3D	67	LA-Iberia, LA-St. Mary	1991	120	52,644	Sercel 368-E	8	4	SEG-D	8	88	AIRGUN	110	220					In-Line	Hydrophone	220	2,640	2	480	55	110
West Cote Blanche Bay In-Fill	10	LA-Iberia	1995	110	48,249	Sercel 368-E	8	4	SEG-D	8	89	AIRGUN	110	220					In-Line	Hydrophone	220	2,640	2	440	55	110
West Cote Blanche Isle 3D	46	LA-Iberia, LA-St. Mary	2006	50	20,514	OPSEIS/Eagle	10	2	SEG-D	3	206	DYNAMITE	233	1,400	5.5	70			Diagonal	Geophone	165	990	10	2,400	83	83
West Delta / Grand Isle 3D	631	LA-Grand Island - South	1996	120	12,425	Syntrak	8	2	SEG-D	8	218	AIRGUN	50	100					In-Line	Dual	50	800	2	480	25	50
West Denton #75 3D	6	NM-Lea	1997	12	18,854	I/O System 2	3	2	SEG-D	3	135	VIBROSEIS	220	1,320			4	8	Brick (Double)	Geophone	220	1,320	9	600	110	110
West Edinburg	28	TX-Hidalgo	2002	50	27,037	I/O System 1	6	2	Unknown		207	VIBROSEIS	165	1,320			3	10	Cross-Line	Geophone	165	1,320	14	2,016	83	83
West George West 3D		TX-Live Oak	1997	27	20,246	I/O System 2	6	2	SEG-D		135	VIBROSEIS	220	1,760			3	10	Brick (Triple)	Geophone	220	1,320	10	880	110	110
West Lyford	15	TX-Hidalgo, TX-Willacy	2001	34	15,212	Compuseis	6	2	SEG-D		206	VIBROSEIS	220	1,320			5	8	Brick (Triple)	Geophone	220	1,100	6	816	110	110
West Port Acres	19	TX-Jefferson	1996	27	24,872	SGR	8	2	Unknown		200	DYNAMITE	220	2,200	5	100			Brick (Triple)	Geophone	220	1,320	10	1,100	110	110
West Ranch	25	TX-Jackson	1989	21	9,836	SGR	6	2	SEG-Y		200	DYNAMITE	165	1,980	5	80			Cross-Line	Geophone	165	1,485	8	768	83	83
West Red Oak 3D	50	OK-Latimer	2001	60	13,862	I/O System 1	6	2	SEG-Y	3	188	PENTOLITE	220	1,760	8	50			Quintuple Brick	Geophone	110	1,100	8	1,920	55	110
West Stamford Lake 3D	7	TX-Haskell	1994										330	990							165	660			83	165
West Vidauri	6	TX-Refugio																								
West Vincent	10	TX-Refugio	1996	30	22,000	I/O System 2	6	2	SEG-D		135	DYNAMITE	220	1,980	5	100			Brick (Triple)	Geophone	220	660	10	720	110	110
West White Lake 3D	35	LA-Vermilion	1993	90	18,830	Sercel 368-E	8	2	SEG-D	8	178	AIRGUN	110	220					In-Line	Hydrophone	220	2,640	2	360	55	110
Wharton 3D	178	TX-Jackson, TX-Matagorda	2007	90	24,554	I/O System 2	8	2	SEG-D	3	207	DYNAMITE	246	1,180	5.5	80	4	8	Diagonal	Geophone	220	1,320	10	2,160	110	110
Wharton-Magnet-Withers 3D	6	TX-Jackson, TX-Wharton	2007	90	24,554	I/O System 2	8	2	SEG-D	3	207	DYNAMITE	246	1,180	5.5	80	4	8	Diagonal	Geophone	220	1,320	10	2,160	110	110
White Castle Dome 3D	76	LA-Iberville	1997	32	16,670	I/O System 3	10	2	Unknown		128	DYNAMITE	150	1,800	15	70			Brick (Triple)	Geophone	150	2,100	8	1,536	75	75
White Lake	147	LA-Vermilion	1992	24	11,032	SGR	8	2	Unknown		200	DYNAMITE	200	2,400	5/10/25	120/140			Brick (Triple)	Geophone	200	2,200	6	480	100	100
White Lake Extension 3D	53	LA-Vermilion	1995	24	18,830							DYNAMITE	200	2,400	25	120/140			Brick (Triple)	Geophone	200	2,200	6	480	100	100
Whites Bayou	62	TX-Chambers	2002	60	18,694	I/O System 3	8	2	SEG-Y	3	207	DYNAMITE	311	1,245	2.5	60			Diagonal	Geophone	220	1,320	10	1,600	110	110
Wilburton Horst 3D	47	OK-Latimer		31	12,750							DYNAMITE	220	2,200					Brick	Geophone	220	1,100	10	1,120	110	110
Wildcat Ridge 3D	119	LA-Cameron, TX-Jefferson	2001	60	23,184	I/O System 3	8	2		3	207	DYNAMITE	246	1,574	5.5	90			Diagonal	Geophone	220	1,760	10	1,960	110	110
Williston Basin 3D	6	ND-Mountrail	1985	12		Sercel 338-B	3	2		25	125	DYNAMITE			20	140	4	8		Geophone	165		120	220	220	

Acquisition Field Parameters

Acquisition Information						Recording Parameters						Source Parameters							Receiver Parameters							
Acquisition	SQ. Mi.	County	Complete Date	Fold	Max Offset	Instrument	Rec Len	Sample Int.	Format	Low Cut	Hi Cut	Energy	SP Int.	Line Int.	Charge Size	Charge Depth	Vib #	Sweep #	Pattern	Phone	Grp Int.	Line Int.	Live Lines	Live Chan.	Bin	Size
Willow Slough 3D	38	CA-Sacramento	1999	40	28,719	I/O System 3	4	2	SEG-D		135	EXPLOSIVE	220	1,760					Brick	Geophone	220	880	10	1,300	110	110
Wind Dancer 3D	55	WY-Sweetwater	2004	65	19,990	I/O System 2	6	2	SEG-D		188	VIBROSEIS	311	1,245			4	10	Diagonal	Geophone	220	1,760	16	2,080	110	110
Wind Dancer East 3D	55	WY-Sweetwater	2006	73	21,275	I/O System 2	6	2	SEG-D		207	VIBROSEIS	311	1,245			4	8	Diagonal	Geophone	220	1,760	16	2,336	110	110
Windingstair I 3D	71	OK-Latimer	1995	50	14,813	Sercel 388	8	2	SEG-D		200	PENTOLITE	440	1,100	25	100			Cross-Line	Geophone	220	1,320	10	1,200	110	110
Windingstair II 3D	69	OK-Latimer	2002	40	16,395	Sercel 388	6	2	SEG-D		200	EXPLOSIVE	200	2,000	11/5.5	60			Cross-Line	Geophone	200	800	10	1,600	100	100
Winkler 29 3D	30	TX-Winkler	1996	28	13,090		4					VIBROSEIS	220	1,320						Geophone	220	1,320		960	110	110
Winters Pinchout 3D	51	CA-Sacramento	1996	60	11,745	Sercel 388	6	2	SEG-D			DYNAMITE	440	880	3	50			Cross-Line	Geophone	220	880	10	1,000	110	220
Withers																										
Wolf Creek Sabine County 3D	63	TX-Sabine	1998	34	20,412	I/O System 2	8	2	SEG-D		207	PENTOLITE	210	2,289	11	100			Diagonal	Geophone	200	1,800	8	1,536	100	100
Wolfpack 3D	53	OK-Blaine	1998	40	12,301	I/O System 1	5	2	SEG-D	3	180	VIBROSEIS	220	1,320			5	8	Cross-Line	Geophone	220	1,320	10	960	110	110
Yates Hostetter 3D Phase 1	117	TX-Duval, TX-McMullen	2006	75	20,973	I/O System 2	8	2	SEG-D	3	207	VIBROSEIS	233	1,866			4	8	Zig-Zag		165	1,320	10	2,400	83	83
Yates Hostetter 3D Phase 2	63	TX-Duval, TX-McMullen	2007	75	20,793	I/O System 2	8	2	SEG-D	3	207	VIBROSEIS	233	1,866			4	8	Zig-Zag	Geophone	165	1,320	10	2,400	83	83
Yoakum Gorge	145	TX-Lavaca	1997	41	14,523	Unknown	7	2	Unknown			VIBROSEIS	220	1,320	5.5	100	5	8	Brick (Double)	Geophone	220	1,320	8	992	110	110
Zebb	173	TX-Webb, TX-Zapata	1999	50	17,246	I/O System 2	6	2	SEG-D		271	VIBROSEIS	165	1,320			4	10	Brick (Double)	Geophone	165	1,320	8	1,600	83	83

53,045